INDEX TO VOLUME 28

New species in **blackface type**

Prepared by Frederick V. Rand, Office of Experiment Stations, U. S. Department of Agriculture

ABBOTT, E. V., 855
"Abstracts of Plant Science," new publication, 767
Acacia floribunda, pythicacious-induced gummosis, 672
Accessory growth substances (See Growth, accelerators)
Acer, cankers, Eutypella and Schizoxylon spp. associated, 733
  galls associated with fungus on, 408
Aceratagallia sanguinolenta, Bordeaux effects on, 375
  vector of potato yellow dwarf, 3, 375, 863
Acids, effect on viruses, 904
Actinomyces scabies, potato varieties resistant to, 878
  resistance, genetic interpretation, 889
    inheritance in crosses and selfed lines of potato, 878
  violaceus-ruber, pigment, isolation and identification, 7
ADAMS, J. F. (W. H. MARTIN, ——, and C. R. ORTON), 297
Aeration, effect on sporophore formation in Fomes, 356
Aerobiology, of Peronospora conidia, 257
Agar, bacterial growth and dispersion in, 387
Agarics, root association of spp. with cereals, 78
Agriculture, boron in, book review, 377
Agrostis, Puccinia graminis hybrids attacking, 6
Air, Peronospora distribution by currents of, 257
Alanine, attenuation of bacterial pathogen by, 19
ALEXANDER, L. J., 1
Alfalfa, carbohydrate-nitrogen ratio in leafhopper-yellowed *vs.* green, 10, 273
  damping off, Pythium spp. causing, 4
  leaf-hopper-yellowed *vs.* green, carbohydrate-nitrogen ratio and carotene in, 10, 273
Algae, orange fruit spot caused by, 283
Alkaloids, in Phymatotrichum-resistant plants, effect on the fungus, 7, 592
ALLINGTON, W. B., 902
ALLISON, C. C., 1
——, and J. J. CHRISTENSEN, 1
Allium cepa, Urocystis cepulae infecting roots, 7
  fistulosum, Urocystis cepulae infecting roots, 7
  porrum, Urocystis cepulae infecting roots, 7
Almond, brown rot, control of blossom infection, 759
  as symptomless carrier of peach mosaic virus, 891
  mosaic, 891
Alnus incana, Taphrina robinsoniana infecting catkins, control, 920
    overwintering, 919
Alsike clover (See Trifolium hybridum)
Alternaria, dissemination by ants, 444
  in oak cankers, 4
Aluminum, effect on Phymatotrichum, 667
American Phytopathological Society, Report of Annual Meeting, 290
  Pacific Division, Report of Annual Meeting, 668
  Southern Division, Report of Annual Meeting, 662
Amino acids, fungus growth in relation to, 531, 536
Ammonium salts, in Phymatotrichum control, 673, 674
Amoebae, antagonism to root-rotting Oomycetes, 97, 101
Amylase, Polyporus abietinus producing, 842
Ananus sativus, bacterial "pink disease" of fruits, 673
  Erwinia aroideae infection, 354
  nematode root injury, as influenced by nematode-trapping fungi, 14–15
ANDERSON, EARL J., 1
ANDERSON, H. W. and K. J. KADOW, 1
——. (K. J. KADOW and), 11, 247
——. (K. J. KADOW, ——, and S. L. HOPPERSTEAD), 224
ANDRUS, C. F., 620
Anemone, Tranzschelia pruni-spinosae varieties on spp. of, 424
Angular leaf spot, cotton, seed treatment, 665
Aniline blue stain, for Ustilago spores, 860
Antagonisms, in Aspergillus spp., 9
  bacterial, to fungi, 98, 101,
  fungus, 81
    inhibition of infection by, 21
    in Tilletia by Ustilago, 144
Anthocyanin, Actinomyces pigment as, 7
Anthracnose, cotton, new disease in Manchukuo, 939
    variation in cultural behavior and pathogenicity of Glomerella of, 787
  Labrador-tea, new records, 374
  mint, Sphaceloma menthae causing, 2, 103, 106
  pecan, Elsinoë randii causing, 77
  rose, additional United States records, 360
    control by sulphur dust, 362
  snowberry, new records, 374
Antirrhinum, Phoma antirrhini on, symptoms and control, 8
Ants, fungus dissemination by, 444
Anuraphis tulipae, as vector of tulip "breaking," 128

Aonidiella aurantii, serological differentiation, 669
citrina, serological differentiation, 669
Aphanomyces, in soils of Iowa, 16
Aphanomyces cochlioides, sugar-beet root rot due to, 4
euteiches, Dactylella spermatophaga parasitizing, 93, 101
Aphelenchoides, predaceous spp., 14
Aphelenchoides fragariae, strawberry varietal susceptibility to culture-reared, 587
Aphids, as vectors, of legume mosaics, 18
of tulip "breaking," 123
Aphis rumicis, pea virus-1 transmission tests negative, 753
Apis, azalea flower spot disseminated by, 21
Aplanobacter (See also Bacterium; Pseudomonas; Phytomonas)
Aplanobacter stewarti, insect vector in Mexico, 444
from wilt-infected maize in Mexico, 443
APPEL, O., 447
Apple, bitter pit, boron ineffective for, 4
black root rot, soil infection and susceptibility tests
blotch, control by new copper fungicides, 11
Bordeaux substitutes (new copper sprays) on, 247
Gymnosporangium clavipes on, in Maine, 20
internal cork, control by boron, 4
leafspot, Fabraea maculata associated, 938
measles, boron deficiency as cause, 23
mosaic, survey of spread, 937
nursery trees, Sclerotium rolfsii infection, 594
photosynthesis in leaves, as influenced by sulphur sprays, 10
Phytophthora cactorum strains tested on, 2
scab, lime-sulphur-spray tests for, 823
spray injury, factors in, 20
sulphur, mechanism, 10
trunk canker, Phytophthora cactorum physiologic races in relation to, 2
wood decay in, survey of associated fungi, 6
Apricot, brown rot, control of blossom infection, 759
mosaic, transmission to peach, 891
symptomless carrier of peach mosaic virus, 890
ARK, P. A. and J. T. BARRETT, 754
——, and C. M. TOMKINS, 350
——, C. M. TOMKINS, and R. E. SMITH, 281
Armillaria mellea, rhizomorphs apparently of, on roots of woody plants, 5
root rot of pines caused by, 5
staghead and dying of oak in relation to, 4–5
Arsenicals, compatibility with copper fungicides, 17
Arsenites, for brown rot of stone fruits, 759
Arthrobotrys musiformis, effect on nematode root injury, 15
oligospora, effect on nematode root injury, 15
Ascochyta caulicola, compared to A. lethalis, 661
as seed-borne disease of sweetclovers, 661
lethalis, compared with A. caulicola, 661
Asparaginase, Polyporus abietinus producing, 842
Asparagus, Phytophthora sp. causing rot of spears, 754
Aspergillus, effect of growth-inhibiting substances in cultures of spp. of, 9
in oak cankers, 4
Aspergillus flavus, virescence of maize seedlings caused by, 811
tamarii, virescence of maize seedlings caused by, 811
Associations, Erwinia aroidiae with Fusarium javanicum, in pumpkin fruit infection, 350
fungus, bunt with loose smut and ergot, 142
effect on flax wilt, 21
Trichoderma with rice sheath spot, 233, 245
Aster, China (See Callistephus chinensis)
Asteroid leaf spot, peach-virus-induced, 278
ATKINSON, R. E., and C. W. EDGERTON, 2
——. (E. W. HANSON and), 8
Attenuation, of bacterial pathogens, 19
Auxins (See Growth, accelerators)
Auxones (See also Growth, accelerators)
bacteria-forming, 15
fungi-forming, 15
AYRES, THEODORE T. (G. G. HAHN and), 50
Azalea, flower spot, control in nursery, 21
Ovulinia azaleae causing, 21

Bacillus (See Erwinia)
Bacteria, auxones formed by, 15
dispersion and growth in agar suspension, 387
pathogenic, attenuation, by glycine, etc., 19
pectinase activity, 202
putrefactive, root-rotting Oomycetes weakened by, 98, 101
separation of mixed strains on poured plates, 395
single-cell culture technique, 387
by dilution-plate method, 16
soft stem-rot of garden stock caused by, 12
tobacco strain, pectinase activity, 204
virulence, as influenced by media, 778
Bacteriosis, of Calophyllum inophyllum, 673
Bacteriosis, citrus, 673
of Coffea, 673
of Eugenia malaccensis, 673
of Ficus macrophylla, 673
of Garcinia xanthochymus, 673
of Mangifera indica, 673
of Persea americana, 673
of pineapple fruits, etc., and vectors, 673
of Psidium spp., 673
of Terminalia catappa, 673

Bacterium (See also Phytomonas; Pseudomonas)
Bacterium campestre, soft stem-rot of garden stock caused by bacterium resembling, 12
malvacearum, gravity grading of cottonseed for control, 745
tardirescens, characteristics, 647–649
hosts, 642, 646
iris leaf blight caused by, 642
tumefaciens (See Phytomonas tumefaciens; crown gall)
BAINES, R. C., 2, 103
BALDWIN, I. L. (A. J. RIKER, J. VAN LANEN and), 19
Banana, lightning injury to plantations, 224
BANFIELD, W. M., 2, 3
Barberry, relation to wheat stem rust, review, 155
wheat stem rust incidence in relation to upper-air-mass movements and infection in, 10
Barley, covered smut as influenced by post-emergence environment, 370
gill fungi associated with roots, 78
Naucoria cerealis weakly parasitizing, 852
Puccinia graminis varietal hybrids attacking, 6
Pythium graminicolum infecting, 9
BARRETT, J. T. (P. A. ARK and), 754
BARSS, HOWARD P., 291, 296, 939
——, Chairman, *et al.*, 298
Bases, effect on viruses, 904
Bean, ashy stem blight, seed transmission, 620
common mosaic, hybrid small red bean selections resistant to, 270
cucumber virus strains on pea and, 22
curly top virus in root tips of, 671
heritable variegation in hybrid, 520
mildew fungicidal control, 22
Phytomonas stewarti inoculated to, 21
rust effect on dry weight of tissues, 723
Bean, kidney, Sclerotium rolfsii infecting, 594
Lima, spray injury, factors in, 20
navy, Fomes lignosus infection, 8
BEATTIE, R. KENT, and B. S. CRANDALL, 3
Beach, European, Phytophthora cactorum causing top wilt of seedlings, 359
Beet (See Sugar beet)
Begonia, fibrous rooted, Pythium spp. infecting, 672
Belamcanda sp., leaf blight caused by Bacterium tardirescens, 646
BENNETT, C. W., 668
Biographies and necrologies, Clinton, George Perkins, 304, 379
Davis, John Jefferson, 303
Hawkins, Stacy Otto, 303
Sattler, Fritz, 305, 447
Taubenhaus, Jacob Joseph, 305, 525
"Biological Abstracts," announcement of new policy, 767
Biological control, flax seedling blight, by mixed inocula, 21
of nematodes affecting plants, 14–15
of plant diseases, by microorganic antagonisms, 81, 97, 101, 144
Biological races (See Physiologic races)
BITANCOURT, A. A., and A. E. JENKINS, 3
Bitter pit, apple, boron ineffective for, 4
BLACK, L. M., 3, 863
Black mustard, smut root galls caused by Urocystis brassicae on, 137
Black root rot, apple, soil infection and susceptibility tests, 483
Black seed disease, strawberry, Mycosphaerella fragariae causing, 6
"Blackheart," of potato tubers, artificial production, 705
BLANK, L. M., 667
Blights, bean ashy stem, seed transmission, 620
citrus nursery, 673
fig leaf, 663
flax seedling, as influenced by mixed inocula, 20
iris leaf, Bacterium tardirescens causing, 642
oak twig, fungi in relation to, 4
pear leaf, overwintering infection sources, 574
peony bud, etiology, 444
stock bacterial, 935
Blister rust, white pine (See Cronartium ribicola)
BLODGETT, F. M., 937
Blotch, apple, Bordeaux substitutes for, 11, 247
Blue rot, boxwood, Verticillium causing, 8
Blue stem, potato, microchemistry, 8
Blueberry, galls induced by Phomopsis on, 71
"Blue rot," of boxwood, Verticillium causing, 8
"Blue stem" disease, potato, 8
BOEWE, G. H., 852
Bombus, azalea flower spot disseminated by, 21
Book reviews (See under Reviews)
Borax, internal cork of apple controlled by, 4
Bordeaux mixture, action at a distance, 316
copper substitutes for, on apple, 247
effect on clover leaf hopper, 375
injury by, factors in, 20
lime factor in, 9
mode of action on Mycosphaerella fragariae, 307
new, apple blotch control by, 11
potato yellow dwarf control by, 375
substitutes, against Coccomyces hiemalis, 1, 251
Bordeaux 34-zinc sulphate-lime, cherry leaf spot control by, 2
Boric acid, internal cork of apple controlled by, 4
Boron, in agriculture, book review, 377
apple-tree measles as induced by deficiency, 23

bitter pit of apple not controlled by, 4
deficiency and excess effects, book review, 377
effect on: fungus diseases, book review, 377
: Phymatotrichum growth, 667
: powdery mildews, 22
internal cork of apple controlled by, 4
Botany, "Abstracts of Plant Science," new publication, 767
Botryosphaeria ribis chromogena, chestnut (Asiatic) dieback and canker caused by, 693
Botrytis, tomato stem rot caused by, greenhouse control, 224
Boxwood, blue rot caused by Verticillium, 8
tree-, winter injury, 372
BOYCE, JOHN SHAW, 765
BOYLE, L. W. and H. H. MCKINNEY, 114
Brassica, Erwinia aroideae infection in spp., 354
mosaic of spp., 13
smut root galls due to Urocystis brassicae on spp. and var., 134, 137
"Breaking," tulip, vectors, 123
Breeding (See also Hybridization; Inheritance; etc.)
for disease resistance, 1, 553
bean mosaic, 270
potato, scab, 878
viruses, 11
rice, Cercospora leaf spot, 19
tobacco mosaic, 5, 9, 286, 553
Brevicoryne brassicae, vector of cabbage mosaic, 13
BRIERLEY, PHILIP, and M. B. MCKAY, 123
BRINKERHOFF, LLOYD. (R. B. STREETS and), 673, 674
Browallia speciosa var. major, types of tobacco mosaic infection and resistance inheritance in, 363
BROWN, NELLIE A., 71, 401
Brown root-rot, tobacco, etiology and pathology, 11
Brown rot, of almond and apricot, control of blossom infection, 759
of deciduous fruits, Sclerotinia spp. and distribution in California, 670
BRUNO, ALBERT. (O. ECKSTEIN, ——, J. W. TURRENTINE, G. A. COWIE, and G. N. HOFFER), 377
BUCHANAN, T. S., 634
——, (R. K. PIERSON and), 709, 833
BUCHHOLTZ, W. F., 448
——, and C. H. MEREDITH, 4
Buckwheat, root rot of conifers in relation to, 7
Bud rot, Delphinium, Erwinia phytophthora causing, 281
Buds, peony, blight etiology, 444
Bulgaria, in oak cankers, 4
Bunt, pathogenically distinct race from interspecific hybrid, 371
wheat, association with ergot sclerotia, 145
inoculation with paired sporidial lines, method, 518
suppression by loose smut, 144
BURK, EARL F. (L. K. JONES and), 11
BURKHOLDER, WALTER H., 935
Burning mosaic of tobacco, virus inactivation by dry heat, 129
BURRELL, A. B., 4
BUSHNELL, F. R., and L. J. KLOTZ, 669
BUTLER, W. T. (E. C. STAKMAN, ——, R. U. COTTER, and J. J. CHRISTENSEN), 20
Buxus, blue rot due to Verticillium, 8
Buxus sempervirens, winter injury, 372
Cabbage, mosaic, new virus, 13
Phytomonas stewarti inoculated to, 22
smut root galls due to Urocystis brassicae on, 137
Cajanus indicus, Fusarium root rot immunity in, 436
Calcium, cotton crinkle leaf associated with deficiency of, 582, 664
CALDWELL, JOHN, and A. L. JAMES, 229
Calendula, cabbage mosaic infecting, 13
Sclerotinia sclerotiorum infection, 672
Callistephus chinensis, yellow dwarf of potato on, 864
Calophyllum inopyllum, bacteriosis, 673
Cancers, plant (See crown gall)
Canker(s), apple trunk, Phytophthora cactorum physiologic races in relation to, 2
blister-rust, on western white pine, annual growth rate, 634
chestnut (Asiatic), Cryptodiaporthe castanea, Botryosphaeria ribis chromogena and Diplodia sp. in, 693
conifer, Coryneum cardinale causing, 760
gardenia Phomopsis, infection route, 597
larch, Douglas fir not parasitized by fungus of, 50, 55
maple, Eutypella and Schizoxylon spp. associated, 733
oak, fungus-induced, 4
galls not associated, 410
poplar, conidia of Hypoxylon pruinatum, 515
stem, Phoma antirrhini causing on various hosts, 8
Cantaloupe, powdery mildew of, resistance inheritance, 671
Capsella bursa-pastoris, as overwintering host of cabbage mosaic, 13
Capsicum, virus infections, epidermal-cell relations to infection, 114, 115
Caragna arborescens, Phytophthora cactorum associated with top wilt in seedlings, 359
Carbohydrate/nitrogen ratio, in alfalfa, leaf-hopper-yellowed *vs.* green, 10, 273
Carica papaya, cucurbit powdery mildew on, 672
Carotene, in alfalfa leaf-hopper-yellowed *vs.* green, 10, 273
as influenced by tobacco mosaic viruses, 329, 335
Carpophilus spp., vectors of bacteriosis of miscellaneous hosts, 673
Carriers (See Insects as vectors)
Carrot, Erwinia aroideae infecting, 354
CARSNER, EUBANKS, 669
——, C. E. OWENS, and C. J. NUSBAUM, 300
CARTER, J. C., 4

Carya (See Hicoria)
CASSELL, R. C. (E. C. STAKMAN and), 20
Castanea, Asiatic species, dieback and canker due to Cryptodiaporthe castanea, Botryosphaeria ribis chromogena and Diplodia sp., 693
Catalase, Polyporus abietinus producing, 842
CATION, DONALD, and E. J. RASMUSSEN, 5
Celery, Erwinia aroideae-resistant varieties, 352
soft rot of fruits due to Erwinia aroideae, 352
-virus-1, strain resembling on bean and pea, 22
Cell(s), epidermal leaf-, local virus infections in relation to, 114
stimulation by Phytomonas tumefaciens *vs.* chemicals, 18
walls, disease resistance in relation to thickness, 1
Cellulase, Polyporus abietinus producing, 842
Cellulose, Polyporus abietinus utilization, 875
Centauria, Sclerotinia sclerotiorum infection, 672
Cephaleuros (virescens) mycoidea, orange fruit spot, and limb and twig infection by, 283
Cephalosporium sp., persimmon wilt caused by, 3
Ceratitis capitata, vector of bacteriosis of pineapple, etc., 673
Ceratostomella ulmi, centrifugal movement in inoculated elms, 19
factors influencing infection and development, 3
infection in American elm, as influenced by nitrogen, 2
spore distribution in tree, 3
viability in soil, 763
Cercospora beticola, control by crop rotation, 342, 349
growth in soil cultures, 343
sugar-beet infection from soil, 346
viability in soil, 342
oryzae, breeding rice for resistance to, 19
inoculation method for selection for resistance, 19
Cereals (See also Wheat, etc.)
gill fungi associated with roots of, 788
Puccinia graminis hybrids attacking, 6
scab, seed treatment by Gibberella culture filtrate, 6
Ceresan, cotton seed treatment by, 665
and New Improved Ceresan, cotton seed treatments by, 664, 665
Chaetocnema pulicaria, from bacterial-wilt-infected maize in Mexico, 444
Chaetomium, Fusarium lini infection inhibited by, 21
in oak cankers, 4
Chamaecyparis lawsoniana, crown gall (?) on, 673
thyoides, Gymnosporangium spp. infecting, in Maine, 20
Chard, Swiss, cabbage mosaic infecting, 13
CHARLES, VERA K., 893
Cheiranthus allonii, cabbage mosaic infecting, 13
Chelone glabra, "Woodgate rust" inoculations negative in, 211
Chemicals, cell stimulation by Phytomonas tumefaciens *vs.*, 18
Cherry, Coccomyces leaf spot of, control by new copper fungicides, 1
leaf-spot, Bordeaux substitutes for, 247
spraying for, 5
spray injury, factors in, 20
CHESTER, FREDERICK D., 427
CHESTER, K. STARR, 745
Chestnut, Asiatic, dieback and canker caused by Cryptodiaporthe castanea, Botryosphaeria ribis chromogena and Diplodia sp., 693
CHILDS, J. F. L. (C. E. YARWOOD and), 723
CHILTON, ST. JOHN P., 5
China-aster (See Callistephus chinesis)
Chlamydospores, abnormal germination in hybrid, 5
of Urocystis gladioli on artificial media, 598
of Ustilago crameri on artificial media, 861
Chlorophyll, as influenced by tobacco mosaic viruses, 329, 335
Chlorophyllase, in tobacco leaves, as influenced by mosaic viruses *vs.* malnutrition or senility, 329, 338, 340
Chlorotic streak, of sugar cane, in United States, 855
CHRISTENSEN, CLYDE M., 5, 6
CHRISTENSEN, J. J. (C. C. ALLISON and), 1
——. (E. C. STAKMAN, W. T. BUTLER, R. U. COTTER and), 20
CHRISTIE, J. R., 587
Chytrids, root-rotting Oomycetes parasitized by, 98, 101
Citrullus vulgaris, Erwinia aroideae infection in, 354
Citrus, algal fruit spot, and limb and twig infection, 283
fruits, water damage to, nature, 671
nursery blight, Phytophthora citrophthora causing, 673
Phytophthora cactorum from, non-pathogenicity for apple, 2
psorosis, and similar diseases, types and symptoms, 669, 670
transmission, 669
red scale, serological differentiation from yellow scale, 669
root rot, Fusarium spp. associated, 673
scaly bark, psorosis and, 669
Citrus aurantifolia, bacteriosis, 673
CLARK, C. F., F. J. STEVENSON, and L. A. SCHAAL, 878
Claviceps purpurea, Tilletia tritici associated with sclerotia of, 145
CLAYTON, E. E., H. H. SMITH, and H. H. FOSTER, 5, 286
CLINTON, GEORGE PERKINS, biographical note, 304

——, biographical sketch and bibliography, 379
——, portrait, facing p. 379
Clovers (See also Trifolium, etc.)
leaf hopper, Bordeaux effects on, 375
potato yellow-dwarf virus transmitted by leaf hopper in, 3
crimson (See Trifolium incarnatum)
red (See Trifolium pratense)
white (See Trifolium repens)
Cobalt, effect on Phymatotrichum growth, 667
Coccomyces hiemalis, Bordeaux substitutes against, 1, 251
spraying for control on cherry, 5
COCHRAN, L. C., and L. M. HUTCHINS, 890
——, and C. O. SMITH, 278
Coffea sp., bacteriosis, 673
Coleosporium crowellii, n. sp., on Pinus spp., 522
Collar rot, pine, Sphaeropsis ellisii causing, 227
Colletotrichum, on cotton, new disease in Manchukuo, 939
Colletotrichum falcatum, spore migration in sugar cane tracheids, 2
Colloidal state, copper fungicide efficiency in relation to, 17
Colutea arborescens, Phytophthora cactorum associated with top wilt in seedlings, 359
CONDIT, IRA J., and W. H. HORNE, 756
Conifers, Coryneum cardinale inoculations to spp., 760
damping off and root rot, buckwheat in relation to Fusarium (?) -induced, 7
COOK, HAROLD T., and T. J. NUGENT, 5
COOLEY, J. S., 594
Copper, effect on Phymatotrichum growth, 667
fungicides, apple blotch control by new, 11
behavior *vs.* chemical composition as determined by electrodialysis, 17
efficiency in relation to colloidal state, 17
Hydro, apple blotch control by, 11
kaolin dust plus, azalea flower spot controlled in nursery by, 21
oxychloride "A," for cotton seed treatment, 665
rôle in spray injury, 20
salts, toxicity for Mycosphaerella fragariae, 324
sprays, Bordeaux substitutes for apple diseases, 247
sulphate, Peronospora conidia as affected by dilute solutions of, 267
toxicity, to Mycosphaerella fragariae, etc., 316, 320, 324, 326
zeolite, apple blotch control by, 11
Cork disease, apple internal, control by boron, 4
Corn (See Maize)
Corn earworm, **Spicaria heliothis**, n. sp. infecting, 893, 897
Corticium stevensii, fig thread blight caused by, 663
Coryneum, in oak cankers, 4
Coryneum cardinale, cankers on conifers caused by, 760
inoculations to conifer spp., 760
COTTER, RALPH U., and M. N. LEVINE, 6
——. (E. C. STAKMAN, W. T. BUTLER, ——, and J. J. CHRISTENSEN), 20
Cotton (See also Gossypium)
anthracnose, new disease in Manchukuo, 939
variation in cultural behavior and pathogenicity of Glomerella of, 787
cotyledonary lesions on, seed treatment for, 665
crinkle leaf, associated with calcium deficiency, 582, 664
as manganese toxicity disease, 664
Fusarium vasinfectum injections into leaves, reactions to, 665
Fusarium wilt, as influenced by fertilizers, 666
inoculation technique, 666
potash effects on "wilt" and "total infection," 667
resistant long-staple, 666
sand-nutrient infection technique for study, 206
soil-inoculation technic, 666
varietal reactions to, 666, 667
lightning injury, 664
Phymatotrichum root rot, histopathology, 195
root knot, factors influencing and control, 664
injury to varieties and species, 664
root rot, control, 667
as influenced by heavy metals and minor elements, 667
mechanism of immunity from, 667
seasonal incidence in Texas (1937), 668
seed-borne diseases, gravity grading for reducing, 745
seed treatment, Ceresan for, 665
effect on emergence and diseases, 664
for stand improvement, 665
yields, as influenced by seed treatment, 665
Cottonseed, delinting, 665
germination problems, 663
gravity grading to control Bacterium malvacearum, 745
Cotyledonary lesions, on cotton, seed treatment for, 665
COWIE, G. A. (O. ECKSTEIN, A. BRUNO, J. W. TURRENTINE, ——, and G. N. HOFFER), 377
Cowpea, Fomes lignosus infecting, 8
Sclerotium rolfsii infecting, 594
CRALLEY, E. M., and W. H. THARP, 667
CRANDALL, BOWEN, S., 227
——. (R. K. BEATTIE and), 3
——, ——, and C. HARTLEY, 358
Crimson clover (See Trifolium incarnatum)
Crinkle, geranium, virus-induced, 11
Crinkle leaf, cotton, associated with calcium deficiency, 582, 664

as manganese toxicity condition, 582, 664
Cronartium quercuum, Woodgate Peridermium galls resembling those by, 37
ribicola, cankers, annual growth rate on Pinus monticola, 634
Ribes petiolare leaf infection by aeciospores and urediospores, age of susceptibility, 709
stomata in relation to infection by, 180
susceptibility of Pinus monticola needles of different ages, 833
Crops, boron in nutrition of, book review, 377
potash deficiency in, book review, 377
Crosses (See Hybridization; Breeding; etc.)
Crotalaria, mosaic of, and transfer to Vicia faba, 10
Crown gall (See also Phytomonas tumefaciens; Pseudomonas t.; Galls)
cell stimulation by chemicals in relation to, 18
Cupressus and allied species susceptible to, 672
growth substance rôle in, 15
mechanism of formation, 18
soil pH in relation to, 859
on Taxus baccata, 153
tumors of oaks and hickories resembling, but Phomopsis-induced, 401
Cryptodiaporthe castanea, chestnut (Asiatic) dieback and canker caused by, 693
Cucumber, mosaic virus, as influenced by chemicals, 903, 906, 907
-virus-1, strain resembling on bean and pea, 22
virus strains of, on bean and pea, 22
dissemination by Myzus persicae, 22
Cucumis, Erwinia aroideae infecting spp., 354
Cucumis melo, powdery mildew of, resistance inheritance, 671
Cucurbita, soft rots of spp. caused by Erwinia aroideae, 350
Cucurbita maxima, Fusarium foot rot of, 19
moschata, Fusarium foot rot of, 19
pepo, Fusarium foot rot of, 19
Cucurbits, Fusarium foot rot of, 19
powdery mildew of, on Carica papaya, 672
spray injury, factors in, 20
Cultures, filtrates of fungus, inhibitors in, 6, 9, 12
single-cell, bacterial, 387, 397
dilution-plate method, 16
Culture media, agar, bacterial growth and dispersion in, 387
effect on virulence of bacterial pathogen, 778
for Ustilago crameri chlamydospore production, 861
CUMMINS, GEORGE B., 522
Cupressus spp., Coryneum cardinale susceptibility of, 760
crown gall susceptibility, 672
Cuprocide, for cotton seed treatment, 664
Cupro-K, apple blotch control by, 11
cherry leaf spot control by, 2
Cuprous oxide, for damping off, 671
Curly top, squash varietal reactions to, 649
sugar beet, morbid anatomy of psyllid yellows and, 669
resistant varieties, 669
virus movement, 668
in tobacco, acquired tolerance, 674
in tomato, acquired tolerance, 548
virus, in root tips of sugar beets and beans, 671
sodium citrate in release from plant juice, 561, 670
strains and differential hosts, 670
Cuttings, tobacco root-, mosaic virus-1 transmitted by, 229
propagation by, 229
Cypress, Monterey, canker caused by Coryneum cardinale, 760
Cytospora, in oak cankers, 4

Dactylaria thaumasia, effect on nematode root injury, 15
Dactylella ellipsospora, effect on nematode root injury, 15
spermatophaga, n. sp., 91
spermatophaga, occurrence, morphology, cultural characters and parasitism on Oomycetes, 81
Daedalia unicolor, wood decay in apple associated with, 6
Dahlia, soft rot of stem due to Erwinia cytolytica, 427, 431
Damping off, alfalfa, Pythium spp. causing, 4
conifer, buckwheat in relation to Fusarium(?)-induced, 7
as influenced by planting time, 4
legume, Pythium spp. causing, 4
Phoma antirrhini causing, 8
sugar beet, Pythium butleri causing, 512
seed treatment for, 671
seedlings, causes and factors influencing, 448
tulip poplar, Phytophthora cactorum causing, 359
watermelon, Pythium irregulare causing, 596
DANA, B. F., 649
DANNENMANN, HANS. (E. LEHMANN, H. KUMMER and), 155
Dasyscypha calycina, saprophytic only on Douglas fir, 55
oblongospora, saprophytic only on Douglas fir, 56
occidentalis, parasitism or saprophytism on Douglas fir negative, 56
willkommii, parasitism or saprophytism on Douglas fir negative, 50, 55
DAVIDSON, ROSS W., and R. C. LORENZ, 733
DAVIS, G. N., 6
DAVIS, JOHN JEFFERSON, biographical note, 303
Decay (See also rot)
sugar-beet, Rhizoctonia solani causing, 152

wood, fungi associated in apple, 6
Polyporus schweinitzii isolates varying in power for, 7
Deciduous fruits, brown rot, Sclerotinia spp. and distribution in California, 670
DECKER, PHARES. (J. G. LEACH and), 13
Deficiency diseases, apple-tree measles, 23
boron, book review, 377
potash, book review, 377
Delinting, of cottonseed, 665
Delphinium, Erwinia phytophthora susceptibility of spp. and vars., 282
Delphinium ajacis, Erwinia phytophthora causing bud and stem rot in, 281
DEMAREE, J. B., and M. S. WILCOX, 6
Dematium pullulans, growth-accelerator in, 808
precocious bud growth and abnormal forking in red pine associated, 803
DENNIS, R. W. G., and D. G. O'BRIEN, 377
Diatrype, in oak cankers, 4
DICK, JAMES B., and H. B. TISDALE, 666
——. (H. B. TISDALE and), 667
Dicyandiamide, attenuation of bacterial pathogen by, 19
Dieback, of chestnut (Asiatic), Cryptodiaporthe castanea, Botryosphaeria ribis chromogena and Diplodia sp., 693
oak, fungi in relation to, 4
Diospyros virginiana, wilt caused by Cephalosporium, 3
Diplodia, chestnut (Asiatic) dieback and canker caused by, 693
maize seedling disease caused by seed treatment, 13
Diplodia zeae, inhibitor formed in culture by, 12
relative resistance to, determination method, 497
Diplogaster, predaceous spp., 14
Diseases, deficiency, boron, book review, 377
potash, book review, 377
forest, book review, 765
fungus, boron in relation to, book review, 377
introduction, danger in seed importations, 939
of ornamental plants in California, 672
plant, textbook review, 289
resistance to (See under Resistance)
virus, textbook review, 231
Dorylaimidae, predaceous spp., 14
DOSDALL, LOUISE. (J. G. LEACH and), 444
Douglas fir (See Pseudotsuga taxifolia)
DOWNIE, A. R. (M. B. MOORE, ——, and H. C. MURPHY), 16
DRECHSLER, CHARLES, 81
Drosophila, vector of bacteriosis of pineapple, etc., 673
DUGGAR, B. M. (S. B. LOCKE, A. J. RIKER and), 15
DUNEGAN, JOHN C., 411
DURRELL, L. W. (W. A. KREUTZER and), 512
Dutch elm disease, on American elm, as influenced by: nitrogen, 2
sap flow, 3
spore distribution, 3
vessel length, 3
centrifugal movement of fungus in host, 19

Earworm, corn-, **Spicaria heliothis,** n. sp. infecting, 893, 897
ECKSTEIN, OSKAR, A. BRUNO, J. W. TURRENTINE, G. A. COWIE, and G. N. HOFFER, 377
Ecology, fungus relations, 12
EDGERTON, C. W. (R. E. ATKINSON and), 2
EDSON, H. A., 293, 294
EGGERS, VIRGINIA. (G. K. K. LINK, H. W. WILCOX and), 15
Eggplant, bacterial potato wilt and rot infecting, 18
Einkorn, gill fungi associated with roots of, 78
Electrodialysis, fungicidal behavior determined by, 17
ELIASON, E. J., 7
ELLIOTT, CHARLOTTE, 443
Elm, American, Dutch elm disease, factors influencing, 3
as influenced by nitrogen, 2
Dutch elm disease, centrifugal movement of fungus in, 19
galls associated with fungus on, 408
phloem necrosis virus induced, 757
Elsinoë, South American diseases due to, 3
Elsinoë australis, on lemon fruits, 73
ledi, new records, 374
randii, n. sp., pecan anthracnose caused by, 77
Phyllosticta caryae in relation to, 77
Emphoropsis, azalea flower spot disseminated by, 21
Empoasca fabae, alfalfa yellows caused by carbohydrate/nitrogen ratio and carotene in, 10, 273
chemical changes in, 10
Emulsin, Polyporus abietinus producing, 842
Environment, effect on growth types of fungi, 12
Enzymes (See also specific enzymes)
Polyporus abietinus producing, 839, 842
pectinase, activity in plant tissues and pathogens, 202
in bacteria, 202, 204
Epidermis, cells of leaf-, local virus infections in relation to, 114
Erepsin, Polyporus abietinus producing, 842
Ergot, bunt associated with sclerotia of, 145
Errata, Phytopathology (Vol. 27), 306
Erwinia amylovora, auxones formed by, 15
aroideae, host range and relationships, 350
pumpkin fruits infected with Fusarium javanicum alone and with, 350
caratovora, single-cell culture, 397
cytolytica, n. sp., dahlia soft rot of stem and tubers induced by, 427, 431
phytophthora, Delphinium bud and stem rot caused by, 281

Erysiphe cichoracearum, resistance to, inheritance in cantaloupe, 671
Eugenia, rust due to Puccinia psidii on spp. of, 157
Eugenia malaccensis, bacteriosis, 673
Euphorbia preslii, Sclerotium rolfsii infecting, 595
Eutypella parasitica, n. sp., maple canker caused by, 733, 739
Exaoscus deformans, control of infection in relation to bud stage and fungicide concentration, 170
Experimental techniques (See Technique)
Eye spot disease, Napier grass, 663
Helminthosporium ocellum causing, 438
sugar cane, 663
EYER, J. R., and M. MILLER, 669
EZEKIEL, WALTER N., 668
——, and J. J. TAUBENHAUS, 667

Fabraea maculata, apple leaf spot associated, 938
overwintering infection sources, 574
Fagus sylvatica, Phytophthora cactorum causing top wilt of seedlings, 359
FAWCETT, H. S., 669
——, and L. J. KLOTZ, 670
FELIX, E. L., 7
FELLOWS, HURLEY, 191
Fertilizers, effect on: Dutch elm disease, 2
cotton wilt incidence, 666, 667
bacterial wilt of corn, 213
Ficus macrophylla, bacteriosis, 673
FIFE, J. M., 561, 670
Fig, leaf blights, 663
Filtrates, fungus culture-, inhibitors in, 6, 9, 12
Fir, Douglas (See Pseudotsuga taxifolia)
Fire blight (See Erwinia amylovora)
Flax, seedling blight, as influenced by mixed inocula, 21
wilt resistance, inheritance, 1
Flower spot, azalea, Ovulinia azaleae causing, 21
Flowering stock, blight due to Phytomonas syringae, 935
Flue-curing, of tobacco, effect on mosaic virus-1, 18
Fluorine, effect on Phymatotrichum growth, 667
Fomes applanatus, colored zone formation by, 605, 612
sporophore formation in culture, as influenced by aeration and humidity, 356
wood decay in apple associated with, 7
fomentarius, colored zone formation by, 606
fraxinophilus, colored zone formation by, 606
igniarius, colored zone formation by, 606, 613
lignosus, parasitism and physiologic specialization in, 8
pathogenicity of races on various hosts, 8
Foot rot, cucurbit Fusarium-, 19
Forest, nurseries, Phytophthora cactorum associated with diseases in, 358
pathology, book review, 765
plantings, pine, diseases in red and white, 22
trees (See under Trees)
Formica fusca var. subsericea, fungus dissemination by, 444
FOSTER, H. H. (E. E. CLAYTON, H. H. SMITH and), 5, 286
FOWLER, MARVIN E., 693
FRAMPTON, VERNON L., and C. F. TAYLOR, 7
FROMME, F. D., and F. J. SCHNEIDERHAN, 483
Fruit spot, orange, alga causing, 283
Fruits, brown rot of deciduous, Sclerotinia spp. and distribution in California, 670
rust of stone, 411
Fungi, antagonisms, 81
Tilletia by Ustilago, 144
auxones formed by, 15
Bordeaux action on, mechanism, 307, 326
dissemination by ants, 444
gill, association with cereal roots, 78
growth factors for, 14, 531
growth, pyrimidine in relation to, 531, 542
thiamin in relation to, 531
thiazole in relation to, 531, 542
growth types, as influenced by genetic *vs.* environal factors, 12
heterothallism and segregation for pathogenicity in, 12
hybridization, 5, 6, 371, 656
inhibitors formed in culture by, 6, 9, 12
lysis in crosses of, 5
nematode-trapping, and effect on nematode root injury, 14–15
nitrogen sources for, 14, 531
phytopathogenic, pectinase activity, 202
pythiaceous, root-rotting Oomycetes parasitized by, 81
root-rotting, effect on Fusarium lini infection, 21
in soils, book review, 376
Iowa, 15, 16
wood-destroying, colored zone formation by, 601
Fungicides (See also specific fungicides)
arsenicals, compatibility with copper fungicides, 17
arsenites, for brown rot of stone fruits, 759
Bordeaux, action at a distance, 316
effect on potato yellow dwarf, 375
injury by lime *vs.* copper in, 9
mode of action on fungi, 307, 326
Bordeaux 34-zinc sulphate-lime, cherry leaf spot control by, 2
for cherry leaf spots, 1, 2, 5, 247
copper, apple blotch control by new, 11
Bordeaux substitutes for apple diseases, 247
behavior *vs.* chemical composition, determination by electrodialysis, 17
cherry leaf spot control by new, 1
compatibility with arsenicals, factors influencing, 17
efficiency in relation to colloidal state, 17
cotton seed treatment by, 664, 665

damping off control by, 671
effect on crown-injured seed corn, 13
lime sulphur, apple scab control by, 823
mercurial, effect on stored seed corn, 13
for peach leaf curl, 170
rosin-lime sulphur, 22
seed-corn treatment by, 13
spray injury by, factors in, 20
sulphur, effect on photosynthesis in apple leaves, 10
injury to apple leaves by, mechanism, 10
Fusarium, citrus root rot associated with spp., 673
conifer root rot apparently caused by spp., 7
cotton infected with spp., gravity grading of seed for control, 745
cucurbit foot rot caused by sp. of Sect. Martiella, 19
gladiolus yellows caused by, 17
oak cankers associated with, 4
spinach wilt and stunt caused by, 5
tobacco strains, pectinase activity, 204
Fusarium avenaceum, potato vascular disease caused by, 16
bulbigenum var. niveum, watermelon seedling infection by, 596
coeruleum, pea root rot caused by, 432
pigeon pea immune from, 436
javanicum, pumpkin fruits infected with Erwinia aroideae alone and with, 350
lini, infection as influenced by other microorganisms, 21
resistance to, inheritance in flax, 1
lycopersici, resistance of tomato varieties to, weighted percentages, 22
orthoceras var. longius, strawberry root injury by, susceptibility factors, 1
vasinfectum, cotton leaf reactions to hypodermic injection, 665
cotton varietal reactions to, 666, 667
infection as influenced by fertilizers, 666
inoculation technique, 666
long-staple cotton resistant to, 666
potash effects on "wilt" and "total infection," 667
sand-nutrient technique for study of infection in cotton, 206
soil inoculation technique, 666

Galls (See also crown gall)
fungus-induced, on elm and maple, 408
oak, cankers not associated, 410
Phomopsis-induced, on oak, hickory, etc., 401
Phomopsis-induced; on Vaccinium, Jasminum, etc., 71–73, 406
pine, Peridermium causing, 24
Toria root, Urocystis brassicae causing, 137
Garcinia xanthochymus, bacteriosis, 673
Garden stock, seed-borne bacterial stem rot, 12
Gardenia, Phomopsis canker, infection route, 597
GARREN, KENNETH H., 839, 875
Geranium, crinkle virus-induced in, 11
mosaic virus-induced in, 11
Germination, chlamydospore, abnormal in hybrids, 5
cottonseed, 663
Gibberella saubinetii, inhibitor formed in culture by, 6
seed treatment by culture filtrate of, 6
GIBBS, J. G., 762
GIDDINGS, N. J., 670
Gladiolus, Fusarium yellows of, 17
smut, chlamydospore production, 598
Glomerella gossypii, cytology, 791
gravity grading of cottonseed for control, 745
variability in cultural behavior and pathogenicity, 787
Glycine, attenuation of bacterial pathogen by, 19
Glycylglycine, attenuation of bacterial pathogen by, 19
GOLDSWORTHY, M. C., and M. A. SMITH, 574, 938
GOOCH, F. S. (T. C. RYKER and), 233
GORE, U. R., 665
Gossypium, root-knot injury to species and varieties, 664
Gourd, Fusarium foot rot of, 19
soft rot of fruits due to Erwinia aroideae, 351
Grafts, peach, development time of plasmodesmal connections in, 491
Grain, gill fungi associated with roots of, 78
Puccinia graminis hybrids attacking, 6
Grasses, loose kernel smut of Johnson, 151
Napier, eye-spot disease, 663
Helminthosporium ocellum causing, 438
Puccinia graminis on, 6
review, 155
Sclerospora graminicola on, host-parasite relations, 846
GRAY, WM. D., 7
GREATHOUSE, GLENN A., 7, 592
Green mosaic of tobacco, virus inactivation by dry heat, 129
Greenhouses, tomato stem rots in, control, 224
GROVES, A. B., 170
Growth, accelerators, bacteria forming, 15
crown gall *vs.* chemicals in relation to, 18
crown-gall rôle, 15
in Dematium pullulans, 808
for fungi, 531
nature and sources, 14
fungi forming, 15
rôle in parasitism, 15
in yeast fractions, 544
inhibitors, in culture filtrates, of Aspergillus, 9
of Diplodia, 12
of Gibberella, 6
in Ustilago zeae, types as influenced by genetic *vs.* environal factors, 12
Gummosis, of Acacia floribunda, pythiacious fungus causing, 672
Gymnosporangium spp., in Maine, 20

HADDON, C. B. (D. C. NEAL and), 666
HAHN, GLENN GARDNER, and T. T. AYERS, 50
"Hairy root," pH in relation to,
HANNA, W. F., 142
HANSING, E. D. (C. O. JOHNSTON, C. L. LEFEBVRE and), 151
HANSON, EARLE W., 8
——, and R. E. ATKINSON, 8
HARRAR, J. G., 8
——, and L. I. MILLER, 8
HARTER, L. L., 432
HARTLEY, CARL, 765
——. (B. S. CRANDALL and), 358
——. (J. E. KOTILA and), 294
Hawkins, Stacy Otto, biographical note, 303
HAYMAKER, H. H., 289
HEALD, FREDERICK DE FOREST, 289
Heliothis obsoleta, **Spicaria heliothis,** n. sp. infecting, 893, 897
Helminthosporium, effect on Fusarium lini infection, 21
Helminthosporium ocellum, eye-spot disease of Napier grass and sugar cane caused by, 438, 663
Hepatica, Tranzschelia pruni-spinosae varieties on spp. of, 424
Hesperis matronalis, cabbage mosaic infecting, 13
Heterodera marioni, biological control, 14
on ornamentals in California, 672
root injury by, as influenced by nematode-trapping fungi, 14–15
Heterothallism, in Venturia inaequalis, 12
HEWITT, WM. B., and L. D. LEACH, 670
Hicoria, tumors due to Phomopsis on, 401
Hicoria pecan, anthracnose due to Elsinoë randii on, 77
HILL, L. M., and C. R. ORTON, 8
HIRT, RAY R., 180
HO, WEN-CHUN, and I. E. MELHUS, 9
HOFFER, G. N. (O. ECKSTEIN, A. BRUNO, J. W. TURRENTINE, G. A. COWIE and), 377
HOLBERT, J. R. (A. L. SMITH, P. E. HOPPE and), 497
HOLMES, FRANCIS O., 9, 58, 363, 553
HOLTON, C. S., 371, 518
HOPP, HENRY, 356, 601
HOPPE, P. E. (A. L. SMITH, ——, and J. R. HOLBERT) 497
HOPPERSTEAD, S. L. (K. J. KADOW, H. W. ANDERSON and), 224
Hormones, growth (See growth accelerators)
HORNE, W. T. (I. J. CONDIT and), 756
HORSFALL, JAMES G., and R. F. SUIT, 9
——. (R. F. SUIT and), 20
HOUSTON, B. R. (L. D. LEACH and), 671
HOYMAN, WM. G., 9
Humidity, effect on sporophore formation in Fomes, 356
HUMPHREY, H. B., 10, 295
HUTCHINS, H. L., and B. F. LUTMAN, 860
HUTCHINS, LEE M. (L. C. COCHRAN and), 890
Hybridization (See also Breeding; Inheritance; etc.)
in fungi, 5, 6, 371, 656
in Sphacelotheca, 656
in Tilletia, 371
tobacco, for disease resistance, 9
tomato, with Lycopersicum pimpinellifolium, 1
Hybrids, fungus, 6
lysis in, 5
Hydrogen-ion concentration, cotton crinkle leaf associated, 582, 664
Phytomonas rhizogenes and P. tumefaciens in relation to, 859
soil, crown gall in relation to, 859
Hypomyces, foot rot of cucurbits caused by, 19
Hyphomycetes, oospores of root-rotting Oomycetes parasitized by pythiaceous, 81
Hypoxylon pruinatum, conidia, nature and development, 515
HYRE, RUSSELL A., 10

Immunity to infection (See resistance)
Indian mustard, smut root galls due to Urocystis brassicae on, 134, 137
β-Indoleacetic acid, cell proliferations by, relation to crown gall, 18
formation by bacteria and fungi, 15
Inheritance (See also Breeding; Resistance; specific plants, and diseases; etc.)
bean, leaf variegation, 520
cantaloupe, powdery mildew resistance, 671
cotton, root rot resistance, 667
flax, wilt resistance, 1
fungi, 12
growth types, in Ustilago zeae, 12
interspecific hybrid, in Tilletia, 371
mosaic resistance, in Browallia, 363
potato, scab resistance, 878, 889
sexual, in fungi, 12
tobacco, mosaic resistance, 9, 363, 553
Inhibitors, growth (See also Growth, inhibitors)
in filtrates of fungus cultures, 6, 9, 12
Insecticides, arsenical, compatibility with copper fungicides, 17
Insects as vectors, azalea flower spot, by Apis, 21
by Bombus, 21
by Emphoropsis, 21
by Xylocopa, 21
cabbage mosaic, by Brevicoryne brassicae, 13
by Myzus persicae, 13
cucumber virus strains, by Myzus persicae, 22
fungi, by ants, 444
legume mosaics, by aphids, 18
maize bacterial wilt, by Chaetocnema vector in Mexico, 444
pea virus-1, by Macrosiphum solanifolii, incubation period, 749
pineapple (etc.) bacteriosis, 673
potato yellow dwarf, by clover leaf hopper, 3, 863
Bordeaux effects, 375

sandalwood spike disease, 719
tulip "breaking," by aphid species, 123
Internal cork disease of apple, control by boron, 4
Inulase, Polyporus abietinus producing, 842
Iodine, effect on Phymatotrichum growth, 667
Iris, leaf blight caused by Bacterium tardicrescens, 642
rust, physiologic races, 67
resistant varieties, 70
species and varietal reactions to physiologic races of rust, 68–70
Iron, effect on Phymatotrichum growth, 667
IYENGAR, A. V. VARADARAJA, 715

JACKSON, L. W. R., 372
JAGGER, I. C., T. W. WHITAKER, and D. R. PORTER, 671
JAMES, A. L. (J. CALDWELL and), 229
Jasminum, tumors caused by Phomopsis on, 406
Jasminum nudiflorum, galls induced by Phomopsis on, 73
JENKINS, ANNA E., 73, 374
——. (A. A. BITANCOURT and), 3
——, and F. P. MCWHORTER, 360
JOHNSON, A. G., and M. B. WAITE, 296
JOHNSON, E. M. (H. H. THORNBERRY, W. D. VALLEAU and), 129
JOHNSON, H. W., 10, 273
——, and C. L. LEFEBVRE, 10
JOHNSON, JAMES, 11
JOHNSON, T., 155
Johnson grass, loose kernel smut of, 151
JOHNSTON, C. O., C. L. LEFEBVRE, and E. D. HANSING, 151
JONES, FRED REUEL, 661
JONES, LEON K., 11
——, and E. F. BURK, 11
Juglans nigra, Phytophthora cactorum associated with soft rot in seedlings, 359
JUMP, JOHN AUSTIN, 798
Juniperus, Coryneum cardinale susceptibility of spp., 760
crown gall on spp., 673
Juniperus communis var. depressa, Gymnosporangium spp. infecting, in Maine, 20
horizontalis, Gymnosporangium spp. infecting, in Maine, 20
virginiana var. crebra, Gymnosporangium spp. infecting, in Maine, 20

KADOW, K. J., and H. W. ANDERSON, 11, 247
——. (H. W. ANDERSON and), 1
——, H. W. ANDERSON, and S. L. HOPPERSTEAD, 224
Kalmia, potential host of Ovulinia azaleae, 21
KEITT, G. W., D. H. PALMITER, and M. H. LANGFORD, 12
KENDRICK, JAMES B., 12
——. (L. D. LEACH and), 13
KENT, G. C., 12
KERNKAMP, M. F., 12
KING, C. J., 664
KIRBY, R. S., 295
KLOTZ, L. J. (F. R. BUSHNELL and), 669
——. (H. S. FAWCETT and), 670
KOEHLER, BENJAMIN, 13
——, and C. M. WOODWORTH, 811
KOTILA, J. E., and C. HARTLEY, 294
KREUTZER, W. A., and L. W. DURRELL, 512
KUMMER, HANS. (E. LEHMANN, ——, and H. DANNENMANN, 155
KUNKEL, L. O., 491

Laboratory technique (See technique)
Laccase, Polyporus abietinus producing, 842
LACKEY, C. F., 671
Lagineria leucantha, soft rot of fruits due to Erwinia aroideae, 351
LANEN, J. VAN, 19
LANGFORD, M. H. (G. W. KEITT, D. H. PALMITER and), 12
Larch, canker, Douglas fir not parasitized by fungus of, 50, 55
Larkspur, rocket-, bud and stem caused by Erwinia phytophthora, 281
LARSON, R. H., and J. C. WALKER, 13
——. (J. C. WALKER and), 21
Lathyrus odoratus, as pea virus-1 host, 931
LEACH, J. G., and P. DECKER, 13
——, and L. DOSDALL, 444
LEACH, L. D., and B. R. HOUSTON, 671
——, and J. B. KENDRICK, 13
——. (W. B. LEACH and), 670
Leaf blights, fig, 663
iris, Bacterium tardicrescens causing, 642
pear, overwintering infection sources, 574
Leaf curl, peach, control in relation to bud stage and fungicide concentration, 170
Leaf hopper, alfalfa yellows induced by, carbohydrate/nitrogen ratio and carotene in, 273
clover, Bordeaux effects on, 375
potato, alfalfa yellows caused by, chemical changes in, 10
Leaf mold, tomato variety resistant to, 1
Leaf spot apple, Fabraea maculata associated, 938
cherry, Bordeaux substitutes for, 1, 247
spraying for, 5
peach asteroid-, virus-induced, 278
Phoma antirrhini causing, 8
rice Cercospora, 19
strawberry Mycosphaerella, mechanism of Bordeaux action on, 307
sugar-beet Cercospora, soil infection, 346
Leaf variegation, heritable, in bean hybrid, 520
Leaves, local virus infections in relation to epidermal cells, 114
LECLERG, E. L., 152
Ledum glandulosum, anthracnose, new records, 374
LEFEBVRE, C. L. (H. W. JOHNSON and), 10
——. (C. O. JOHNSON, ——, and E. D. HANSING), 151
Legumes, damping-off, Pythium spp. causing, 4
Fomes lignosus infection among, 8
mosaics viruses of, insect transmission, 18
differentiation, 17

LEHMAN, S. G., 14, 664
LEHMANN, ERNST, H. KUMMER, and H. DANNENMANN, 155
Lemon, Elsinoë australis on, 73, 75
Lenzites trabea, wood decay in apple associated with, 7
LEONIAN, LEON H., and V. G. LILLY, 14, 531
"Leopard spot," of mint, Sphaceloma menthae causing, 112
LESLEY, J. W., and J. M. WALLACE, 548
Lespedeza stipulacea, Sclerotium rolfsii infecting, 594
Lettuce, Erwinia aroideae infecting, 354
LEVINE, MOSES N. (R. U. COTTER and), 6
Libocedrus decurrens, Coryneum cardinale susceptibility of, 760
crown gall on, 672
Pseudomonas tumefaciens strain from, Taxus baccata infected by, 153
Lightning injury, to banana plantations, 224 to cotton, 664
Lignase, Polyporus abietinus producing, 842
Lignin, Polyporus abietinus utilization, 875
Ligustrum, tumors caused by Phomopsis on, 406
Lilac, Phytophthora cactorum from, apple infection by, 2
Lilium candidum, Phytophthora cactorum from, apple infection by, 2
LILLY, VIRGIL GREENE. (L. H. LEONIAN and), 14, 531
Lima bean, spray injury, factors in, 20
Lime, injury by, in spray mixtures, 9
Lime sulphur, apple-scab control by, 823
cherry leaf spot control by, 2
rosin-, as fungicide, 22
LINFORD, M. B., and J. M. OLIVEIRA, 14
——, and F. YAP, 14
LINK, GEORGE K. K., H. W. WILCOX, and V. EGGERS, 15
Lipase, Polyporus abietinus producing, 842
Liriodendron tulipifera, Phytophthora cactorum causing damping off of seedlings, 359
Lithium, effect on Phymatotrichum growth, 667
Little peach disease, contact periods in graft transmission, 491
LOCKE, S. B., A. J. RIKER, and B. M. DUGGAR, 15
LONGREE, KARLA, 15
Loquat, Phytophthora cactorum from, apple infection by, 2
LORENZ, ROLLAND C. (R. W. DAVIDSON and), 733
LOVETT, H. C. (D. C. NEAL and), 582, 664
LUTMAN, B. F. (H. L. HUTCHINS and), 860
Lycopersicum esculentum, hybridized with L. pimpinellifolium, 1
Lygus pratensis, potato wilt induced by, 13
Lysis, in Ustilago zeae crosses, 5

MCCORMICK, FLORENCE A., 379
MCCULLOCH, LUCIA, 642
MCDONOUGH, E. S., 846
MCKAY, M. B. (P. BRIERLEY and), 123
MCKINNEY, H. H. (L. W. BOYLE and), 114
——. (P. D. PETERSON and), 329
MACLACHLAN, J. D., 157
MCLEAN, JOHN G., 16
MCMURTREY, J. E., JR., 377
MCNEW, GEORGE L., 16, 387, 769
——. (E. L. SPENCER and), 213
MCWHORTER, FRANK P. (A. E. JENKINS and), 360

Macrobiotus, predaceous on nematodes, 14
Macrophoma phaseoli, seed transmission, 620
Macrosiphum solanifolii, pea virus-1 incubation period in, 749
as vector of "tulip breaking," 124
MADER, E. O., and T. C. WATKINS, 375
MAINS, E. B., 67
Maize, bacterial wilt (See also Phytomonas stewarti)
as influenced by: mineral nutrition, 213
nitrogen nutrition, 16
mechanism of pathogenesis, 769, 781
in Mexico, 443
virulence as influenced by nitrogen nutrition, 769
Diplodia seedling disease, seed treatment for, 13
Diplodia stalk rot, determination of relative resistance to, 497
earworm of, **Spicaria heliothis**, n. sp. infecting, 893, 897
Phytomonas spp. inoculations to, 21, 475
Pythium graminicolum infecting, 9
seed, effect of prolonged storage of treated, 13
seed-treatment tests with crown-injured, 13
soil-borne diseases, seed treatments for, 13
Maize, virescence, Aspergillus spp. causing, 811
"genetic" *vs.* "induced," 813
Malformations, tobacco "ruffle leaf," 14
Malnutrition, effect on chlorophyllase activity in tobacco, 338, 340
Maltase, Polyporus abietinus producing, 842
Manganese, cotton crinkle leaf caused by toxicity of, 582, 664
effect on Phymatotrichum growth, 667
Mangifera indica, bacteriosis, 673
Maple (See Acer)
MARTIN, W. H., J. F. ADAMS, and C. R. ORTON, 297
MATHUR, P. B. (B. N. SINGH and), 705
Matthiola incana, cabbage mosaic infecting, 13
seed-borne bacterial stem rot, 12
var. annua, blight caused by Phytomonas syringae, 935
Erwinia aroideae infecting, 354
Measles, apple-tree, boron deficiency as cause, 23
Media, culture (See Culture media)

MELHUS, I. E. (WEN-CHUN HO and), 9
Melilotus, Ascochyta caulicola as seed-borne disease of spp., 661
Melilotus alba, mosaic virus of, differentiation, 17
Mentha arvensis var. piperascens, anthracnose caused by Sphaceloma menthae, 104, 108
piperita, anthracnose caused by Sphaceloma menthae, 104, 108
var. officinalis, anthracnose caused by Sphaceloma menthae, 104, 108
var. vulgaris, anthracnose caused by Sphaceloma menthae, 103, 105–108
spicata, anthracnose caused by Sphaceloma menthae, 104, 108
Mercurial fungicides, for Diplodia seedling disease of maize, 13
effect on stored seed corn, 13
Mercury, effect on Phymatotrichum growth, 667
organic compounds of, for damping off, 671
MEREDITH, CLIFFORD H., 15
——. (W. F. BUCHHOLTZ and), 4
Metals, heavy, effect on Phymatotrichum growth, 667
organic compounds of heavy, effect on viruses, 904
salts of heavy, effect on viruses, 904
Microorganisms, phytopathogenic, pectinase activity, 202
soil, effect on root-rotting Oomycetes, 81, 98, 101
MIDDLETON, J. T., C. M. TUCKER, and C. M. TOMPKINS, 672
Mildew, bean, fungicidal control, 22
cantaloupe powdery, resistance inheritance, 671
cucurbit powdery, on Carica papaya, 672
downy, of Setaria spp., host-parasite relation, 846
onion downy-, conidial dissemination and viability, 17
fungicidal control, 22
spread by wind-borne conidia, 257
powdery, as influenced by boron nutrition, 22
rose powdery-, as influenced by temperature and humidity, 15
MILLER, HAROLD J. (H. W. THURSTON, JR., and), 823
MILLER, L. I. (J. G. HARRAR and), 8
MILLER, MAYBELLE. (J. R. EYER and), 669
MILLER, P. A., 672
Millet, Proso, Phytomonas stewarti inoculated to, 21
Pythium graminicolum infecting, 9
MILLS, P. J. (E. C. TIMS and), 663
Minor elements, effect on Phymatotrichum growth, 667
Mint, anthracnose due to Sphaceloma menthae in spp. and vars., 2, 103, 106
Mites, predaceous on nematodes, 14
Molybdenum, effect on Phymatotrichum growth, 667
Monocalcium arsenite, in control of brown rot of almond and apricot, 759
Mononchus, predaceous spp., 14
MOORE, M. B., A. R. DOWNIE, and H. C. MURPHY, 16
Mosaic, almond, 891
apple, survey of spread, 937
apricot, transmission to peach, 891
bean common-, hybrid small red bean selections resistant to, 270
cabbage, properties, hosts, and vectors of new virus, 13
of Crotalaria spp., and transfer to Vicia faba, 10
cucumber, virus as influenced by chemicals, 903, 906, 907
virus strains, on bean and pea, 22
dissemination by Myzus persicae, 22
geranium, 11
heritable variegation in hybrid bean resembling, 520
legume, differentiation of viruses of, 17
insect transmission, 18
pea virus-1, incubation period in vector, 749
peach, contact periods in graft transmission, 491
cross inoculations to other stone fruits, 890
plum, 891
prune, 891
red-clover, transmission in crimson clover, 869
sugar beet, virus movement, 668
tobacco, breeding for resistance, 553
breeding for necrotic response, 553
Katahdin potato resistance, 11
local infections in relation to epidermal cells, 114
necrotic type, dominant gene for, 9
resistance inheritance in tobacco, 553
resistance of strains, 5
seasonal variations in susceptibility and incubation period, 147
selection and breeding for resistance, 286
strains resistant to, breeding and mechanism, 9
susceptibility *vs.* taxonomic relationship, 58
symptoms on various plants compared, 330
virus strains, derivatives of Jensen's J–14 strain, 675
effect on plastid pigments and chlorophyllase, 329, 335, 338
purification, 23
virus-1, as influenced by flue-curing, 18
resistance inheritance in Browallia speciosa var. major, 363
transmission by root cuttings, 229
types of infection in Browallia speciosa var. major, 363
yellow, green and burning, thermal inactivation, 129
tulip, vectors, 123
MUNDKÜR, B. B., 134

MURPHY, DONALD M., and W. H. PIERCE, 270
MURPHY, H. C. (M. B. MOORE, A. R. DOWNIE and), 16
Mustard, black, smut root galls caused by Urocystis brassicae on, 137
Indian, smut root galls caused by Urocystis brassicae on, 134, 137
Mycology, soil, book review, 376
Mycosphaerella fragariae, black-seed disease of strawberry caused by 6
Bordeaux effects on, mechanism, 307
copper sensitivity, 316, 320, 324, 326
lethalis, compared to Ascochyta caulicola, 661
Myzus circumflexus, vector of tulip breaking, 128
persicae, vector of cabbage mosaic, 13
vector of cucumber virus strains, 22
vector of tulip "breaking," 124
solani, vector of tulip "breaking," 123, 128

NAGEL, C. M., 342
NAGY, R. (A. J. RIKER and), 18
Napier grass, eye spot caused by Helminthosporium ocellum, 438
Naucoria, root association of sp. in cereals, 78
Naucoria cerealis, n. sp., weak parasite of barley, rye, and wheat, 852, 854
NEAL, D. C., 665, 666
——, and C. B. HADDON, 666
——, and H. C. LOVETT, 582, 664
Necrologies (See under Biographies)
Necrosis, phloem, of elm, 757
root, Pythium graminicolum causing, 9
NELSON, RAY, 17
Nematodes (See also Root knot, and specific names)
biological control, 14–15
cotton root knot, factors influencing and control, 664
injury to varieties and species, 664
olive roots infested by, 756
on ornamentals in California, 672
phytopathogenic, 14
predaceous, 14
root injury by, as influenced by Arthrobotrys oligospora, 15
strawberry bud-and-leaf, varietal susceptibility to culture-reared, 587
NETTLES, W. C., 665
NEWHALL, A. G., 17, 257
Nickel, effect on Phymatotrichum growth, 667
Nicotiana, cabbage mosaic infecting spp. and hybrid, 13
virus infections, epidermal-cell relations to local, 114, 115
yellow dwarf of potato on spp., 864
Nicotiana digluta, in breeding for mosaic resistance, 9
glutinosa, in breeding for mosaic resistance, 9
rustica, potato yellow dwarf mechanically transmitted in, 3
tabacum (See Tobacco)
NIETHAMMER, ANNELIESE, 376
NIKITIN, A. A., 17
Nitrogen/carbohydrate ratio, in green *vs.* leaf-hopper-yellowed alfalfa, 10, 273
Nitrogen, effect on Dutch elm disease, 2
fertilizers, effect on cotton wilt, 666
in fungus nutrition, sources, 14, 531
inorganic, virulence of bacterial pathogen related to utilization, 769
virulence of Phytomonas stewarti as influenced by forms, 16
Nomenclature, of plant viruses, 230
technical terminology, proposed list of international, 600
NORVAL, I. P., 675
Norway spruce (See Picea excelsa)
NUGENT, T. J. (H. T. COOK and), 5
Nurseries, forest, Phytophthora cactorum associated with diseases in, 358
Nursery blight, citrus, 673
NUSBAUM, C. J. (E. CARSNER, C. E. OWENS and), 300
Nutrition, plant, boron, book review, 377
effect on powdery mildews, 22
fungus, sources of nitrogen and growth accelerators, 14
mineral, effect on bacterial wilt of corn, 213
potash deficiency in relation to, book review, 377
Nyssa sylvatica, Phytophthora cactorum associated with top wilt in seedlings, 359

Oak, fungus diseases, survey, 4
galls and cankers unassociated on, 410
tumors due to Phomopsis on, 401
Oats, Black Mesdag, Ustilago avenae race infecting, 660
crown rust, epidemic in relation to Bond and Victoria hybrids, 898
gill-fungi associated with roots of, 78
new race attacking Bond var., 16
Phytomonas stewarti inoculated to, 22
Puccinia graminis varietal hybrid attacking, 6
Pythium graminicolum-resistant, 9
O'BRIEN, D. G. (R. W. G. DENNIS and), 377
Officers, American Phytopathological Society, 290
Olive, nematode infestation of roots, 756
OLIVEIRA, J. M. (M. B. LINFORD and), 14
Onion, downy mildew, conidial dissemination and viability, 17
fungicidal control, 22
spread by wind-borne conidia, 257
Erwinia aroideae infection in, 354
smut, root infection of Allium spp. by, 7
Oomycetes, root-rotting, oospores parasitized by pythiaceous fungi, 81
root-rotting, putrefactive bacteria weakening, 98, 101
Oospores, of root-rotting Oomycetes, pythiaceous fungi parasitizing, 81
Ophiobolus cariceti, effect on Fusarium lini infection, 21
graminis, wheat lesions produced by, interrelations on crowns, culms and roots, 191

Opuntia, Erwinia aroideae causing soft rot in spp., 352
Orange (See also Citrus)
algal fruit spot, and limb and twig infection, 283
navel, water injury to, nature, 671
Ornamental plants, diseases in California, 672
Orseilline BB stain, for Ustilago spores, 860
ORTON, C. R., 299
——. (L. M. HILL and), 8
——. (W. H. MARTIN, J. F. ADAMS and), 297
OSBORN, H. T., 17, 749, 923
Ovulinia azaleae, n. gen. n. sp. azalea flower and leaf spot caused by, and control in nursery, 21
insect dissemination, 21
OWENS, C. E. (E. CARSNER, ——, and C. J. NUSBAUM), 300
Oxidizing agents, effect on viruses, 904
Oxo-bordeaux, apple blotch control by, 11
Oxygenase, Polyporus abietinus producing, 842
Ozonium omnivorum (See Phymatotrichum omnivorum)

PALMITER, D. H. (G. W. KEITT, ——, and M. H. LANGFORD), 12
Parasitism, biology of, in stem rust, review, 155
growth substances in relation to, 15
Passiflora mollissima, nematode infestation, 672
Pathogenesis, growth substances in relation to, 15
Pathogenicity, segregation for, in Venturia inaequalis, 12
Pathogens, bacterial plant, dispersion and growth in agar suspension, 387
single-cell culture, 387
plant, pectinase activity, 202
Pathology, forest, book review, 765
plant (See also Phytopathology; disease; and under specific diseases and pathogens)
Pea, alsike virus-1 infection, varietal reactions to, 505
cucumber virus strains on bean and, 22
mosaic-virus-1, in aphids, as influenced by temperature, 930
differentiation, 17
hosts, 931
incubation period, in mechanically *vs.* aphid-inoculated plants, 926
in vector, 749
properties, 928
serial passage, 827
strains, 931
sub-inoculation from mechanically *vs.* aphid inoculated plants, 923
transmissability after inoculation by single aphids *vs.* colonies, 928
transmission by carborundum-powder method, 923
transmission by Aphis rumicis negative, 753
mosaic-virus-2, clover to clover (crimson) transmission, 869
differentiation, 17
root rot caused by Fusarium coeruleum, 432
Pea, field, as pea virus-1 host, 931
garden, Fomes lignosus infection, 8
as pea virus-1 host, 931
sweet, as pea virus-1 host, 931
Peach, leaf curl, control, relation to bud stage and fungicide concentration, 170
mosaic, cross inoculations to other stone fruits, 890
plasmodesmal connections, development time in grafts, 491
Pseudomonas tumefaciens strain from, Taxus baccata infected by, 153
spray injury, factors in, 20
viruses, contact periods in graft transmission, 491
Pear, fireblight. (See Erwinia amylovora.)
leaf-blight, overwintering infection sources, 574
Pecan, anthracnose due to Elsinoë randii, 77
Phymatotrichum root rot, control, 673, 674
early diagnosis, 673
Pectinase, activity, in extract of cured tobacco, 204
in plant pathogens, 202
Polyporus abietinus producing, 842
Pelargonium zonale, crinkle virus-induced in, 11
mosaic virus-induced in, 11
Penicillium, as egg parasite of nematodes, 14, 15
in oak cankers, 4
Pennisetum purpureum, eye-spot disease of, 663
Helminthosporium ocellum causing, 438
Peony, bud blight, etiology and associates, 444
Phytophthora cactorum from, apple infection by, 2
Pepper, bacterial potato wilt and rot infecting, 18
Sclerotium rolfsii infecting, 594
virus infections, epidermal-cell relations to local, 114, 115
Peppermint, anthracnose caused by Sphaceloma menthae in, 2, 103, 104, 106–108
Peppertree, Brazilian, Verticillium infection, 672
Pepsin, Polyporus abietinus producing 842
Peridermium, inoculations and technique, Woodgate-, inoculations of aeciospores 210
in species of Pinus and Scrophulariaceae, 210
morphology and life cycle, 24
physiologic races, 43
Personospora destructor, conidia, fungicide tests on, 17
viability and dissemination by wind, 17

viability and factors influencing, 264–268
as influenced by dilute $CuSO_4$ solutions, 267
reservoirs of, 261
spread of infection by wind-borne conidia, 257
Peroxidase, Polyporus abietinus producing, 842
Persea americana, bacteriosis, 673
Persimmon, American wilt disease of, Cephalosporium causing, 3
PERSON, L. H., 18
PETERSON, PAUL D., and H. H. MCKINNEY, 329
Phaseolus limensis, Erwinia aroideae infecting, 354
Phenolic compounds, effect on viruses, 904
Phloem necrosis, elm, virus-induced, 757
Pholiota adiposa, wood decay in apple associated with, 7
dura, root association in cereals, 78
praecox, root association in cereals, 78
Phoma, in oak cankers, 4
Phoma antirrhini, hosts, 8
seed-# and soil-borne, 8
on snapdragon, etc., symptoms and control, 8
betae, on sugar beets, 448, 452
seed treatment for, 671
lingam, longevity in soil, determination method, 762
Phomacora, in oak cankers, 4
Phomopsis, blueberry galls induced by, 71
in oak cankers, 4
tumors on Jasminum, etc., caused by, 73, 406
tumors on oak, hickory, etc., 401
Phomopsis gardeniae, infection route, 597
Phosphate fertilizers, effect on cotton wilt, 666
Photosynthesis, in apple leaves, as influenced by sulphur sprays, 10
in tobacco, virus effects on plastid pigments and chlorophyllase, 329, 335, 338
Phycomycetes, in soil, Iowa, 15–16
Phyllody, in curly-top-infected squash, 655
Phyllostieta antirrhini, on snapdragon, etc., symptoms and control, 8
caryae, Elsinoë randii in relation to, 77
solitaria, Bordeaux substitutes for, 11, 248
Phymatotrichum omnivorum, control, 667
growth, as influenced by heavy metals and minor elements, 667
histopathology of cotton infection, 195
immunity from, mechanism, 667
pecan root rot caused by, early diagnosis and control, 673, 674
perfect stage, 667
resistance to, alkaloid rôle, 7, 592
seasonal incidence of infection in Texas (1937), 668
soil treatments for, 673, 674
Physalis pubescens, yellow dwarf of potato on, 864
Physiologic races, in Fomes lignosus, 8
in Peridermium, 43
in Phytophthora cactorum, 2
in Puccinia coronata avenae, 898
in Puccinia graminis, review, 155
in Puccinia graminis tritici, 20
in Puccinia iridis, 67
in Puccinia psidii, 157
in Sphacelotheca sorghi, 656
in Thielaviopsis basicola, on tobacco, 1
in Tilletia, 371
in Ustilago avenae, 660
Phytomonas (See also Bacterium; Pseudomonas)
single-cell culture of spp., 388, 390, 394
Phytomonas angulata, pectinase activity, 204
campestris, effect on maize, 21, 475
flaccumfaciens, effect on maize, 21, 475
insidiosa, effect on maize, 21, 475
matthiolae, as synonym of P. syringae, 936
michiganensis, effect on maize, 21, 475
mori, pectinase activity, 204
panici, effect on maize, 21, 475
rhizogenes, auxones formed by, 15
pH relations, 859
stewarti, hosts artificially infected with, 21
pathogenesis, 769, 781
sweet-corn seedling reaction to, as influenced by mineral nutrition, 213
virulence, as influenced by nitrogen nutrition, 16, 769
striafaciens, effect on maize, 21, 475
syringae, flowering stock blight caused by, 935
P. matthiolae as synonym of, 936
tabaca, pectinase activity, 204
tumefaciens, attenuation, by glycine, etc., 19
cell stimulation by chemicals in relation to crown gall, 18
growth substance formation and rôle in parasitism by, 15
pH relations, 859
virulence, growth substances in relation, to, 15
vitamin B_1 formed by, 18
Phytopathology, Committee on Regulatory Work and Foreign Plant Diseases, 939
textbook review, 289
virus diseases, textbook review, 231
Phytophthora, asparagus spears rotted by sp., 754
Dactylella spermatophaga parasitizing spp., 92, 93, 101
Phytophthora cactorum, pathogenicity on Pinus resinosa compared with Phytophthora pini, 360
pathogenicity of strains compared on various hosts, 2
physiologic races in relation to apple trunk canker, 2
seedling disease association in forest nurseries, 358
citrophthora, citrus nursery blight caused by, 673

pini, pathogenicity on Pinus resinosa compared with Phytophthora cactorum, 360
Picea canadensis, buckwheat in relation to Fusarium(?)-induced root rot, 7
excelsa, buckwheat in relation to Fusarium(?)-induced root rot, 7
PIERCE, W. H. (D. H. MURPHY and), 270
PIERSON, R. K., and T. S. BUCHANAN, 709, 833
Pigeon pea, Fusarium immunity, 432
Pigment(s), of Actinomyces violaceus-ruber, 7
plastid-, as influenced by tobacco mosaic viruses, 329, 335
Pimenta, rust caused by Puccinia psidii on spp., 157
Pimento tree, rust caused by Puccinia psidii on, 157
PINCKARD, J. A., 18
Pine, limber (See Pinus flexilis)
nut (See Pinus edulis)
piñon (See Pinus edulis)
red (See Pinus resinosa)
Scotch (See Pinus sylvestris)
western white (See Pinus monticola)
white (See Pinus strobus)
Pineapple, bacterial "pink disease" of fruits, and vectors, 673
Erwinia aroideae infection, 354
nematode root injury, as influenced nematode-trapping fungi, 14–15
Pink disease, of pineapple fruits, bacterial, 673
Pinus, Phytophthora cactorum from, non-pathogenicity for apple, 2
root rot caused by Armillaria mellea on, 5
"Woodgate rust" inoculations in spp. of, 210
Pinus edulis, Coleosporium crowellii on, 522
flexilis, Coleosporium crowellii on, 522
monticola, Cronartium ribicola on, annual growth rate of cankers, 634
susceptibility of needles of different ages, 833
resinosa, forest plantings, diseases of, 22
Phytophthora spp. compared as to pathogenicity for, 360
precocious bud growth and abnormal forking, Dematium and Tympanis associated, 802
root rot, Armillaria mellea causing, 5
buckwheat in relation to Fusarium (?)-induced, 7
Sphaeropsis ellisii causing root and collar disease, 227
strobus, Cronartium ribicola infection, stomatal relations, 180
forest plantings, diseases of, 22
Polyporus schweinitzii isolates varying in wood-decaying power for, 7
root rot, Armillaria mellea causing, 5
buckwheat in relation to Fusarium(?)-induced, 7
Sphaeropsis ellisii causing root and collar disease of, 227
stomatal arrangement, structure and movements, 182, 185, 187
sylvestris, galls on, development and effects of "Woodgate rust-", 24
PIRONE, P. P., 597
Pisum sativum, alsike virus-1 infection, varietal reactions to, 505
root rot caused by Fusarium coeruleum on, 432
PLAKIDAS, A. G., 307
Plant diseases, forest trees, book review, 765
"Plant Science, Abstracts of," new publication, 767
Planting time, effect on damping off, 4
Plants, woody, rhizomorphs on, 5
Plasmodesmal connections, development time in peach grafts, 491
Plastids, pigments in, as influenced by tobacco mosaic viruses, 329, 335
Plum, mosaic, 891
as symptomless carrier of peach-mosaic virus, 890
Poa, Puccinia graminis hybrids attacking, 6
Polyporus, wood decay in apple associated with spp., 7
Polyporus abietinus, cellulose utilization by, 875
enzyme-producing ability, 839, 842
lignin utilization by, 875
nitrogen metabolism, 877
hispidus, colored zone formation by, 606
schweinitzii, in forest plantings of red and white pines, 22
wood-decaying power of isolates varying, 7
PONOMAREFF, N. V., 515
Poplar, canker due to Hypoxylon pruinatum, conidial development, 515
tulip, Phytophthora cactorum causing damping off of seedlings, 359
PORTER, D. R. (I. C. JAGGER, T. W. WHITAKER and), 671
Portraits, Sattler, Fritz, facing p. 447
Taubenhaus, Jacob Joseph, facing p. 525
Portulaca oleracea, Sclerotium rolfsii infecting, 595
Potash, deficiency symptoms, book review, 377
fertilizers, effect on cotton wilt, 666, 667
Potato (See also Solanum)
bacterial wilt and rot, and other hosts, 18
"blackheart" of tubers, artificial production, 705
"blue stem" of, microchemistry, 8
breeding for resistance to viruses, 11
Katahdin, resistance to veinbanding and tobacco-mosaic viruses, 11
psyllid yellows, morbid anatomy, and comparison to sugar-beet curly top, 669
Rhizoctonia solani strains from sprouts causing sugar-beet decay, 152
ring-spot virus as influenced by chemicals, 903, 906, 907
scab, resistance, genetic interpretation, 889

inheritance in crosses and selfed lines, 878
varieties resistant to, 878
vascular disease due to Fusarium avenaceum, 16
veinbanding virus as influenced by chemicals, 903, 906, 910
wilt due to tarnished plant bug, 13
yellow dwarf, clover leaf hopper as vector, 3, 375, 863
control by Bordeaux, 375
as influenced by soil temperature, 21
mechanical transmissions, 865
new hosts, 864
susceptible hosts, 3
virus, mechanical transmission, 3
properties, 3, 863, 870
separation from X-virus, 863
Potato, sweet-, soil rot, 18
Pratylenchus musicola, olive roots infested by, 756
pratensis, biological control, 14
PRINCE, ALTON E. (F. H. STEINMETZ and), 20
Privet, tumors caused by Phomopsis on, 406
Promycelia, disintegration of hybrid, 5
Protozoa, as nematode parasites, 14
Prune, mosaic, 891
as symptomless carrier of peach-mosaic virus, 890
Prunus, mosaics of, 890
Tranzschelia pruni-spinosae varieties on wild *vs.* cultivated spp., 411
Prunus persica, Pseudomonas tumefaciens strain from, Taxus baccata infected by, 153
Pseudomonas (See also Bacterium; Phytomonas)
Pseudomonas tumefaciens, Taxus baccata infected by, 153
Pseudotsuga taxifolia, Dasyscypha spp. saprophytic on, 55–56
Dasyscypha willkommii neither parasitic nor saprophytic on, 50, 55
Psidium spp., bacteriosis, 673
Psorosis, citrus, scaly bark and, 669
and similar diseases, types, symptoms, and transmission, 669, 670
Psyllid yellows, morbid anatomy and comparison to sugar-beet curly top, 669
Puccinia coronata avenae, biological races, 898
epidemic infection in relation to hybrids of Bond and Victoria oats, 898
new race attacking Bond oats, 16
graminis, differential hosts attacked by varietal hybrids of, 6
incidence of infection as influenced by upper-air-mass movements and barberry infection, 10
review of monograph on, 155
varietal hybrids and their pathogenicity, 6
tritici, aecial stage, rôle in origin and perisistence of races, 20
epidemiology of infection in three contrasting years, 20
race 56, increase and importance, 20
helianthi, effect on dry weight of host tissues, 723
iridis, physiologic races, 67
psidii, incidence, factors influencing, 163
life history, 163
physiologic races, 159
rust of Pimenta and Eugenia spp. caused by, 157
Pumpkin, Erwinia aroideae-resistant varieties, 351
Fusarium foot rot of, 19
Fusarium javanicum infecting fruits alone and associated with Erwinia aroideae, 350
soft rot of fruits caused by Erwinia aroideae, 350
Pyrimidines, fungus growth in relation to, 531, 542
Pythium, begonia (fibrous rooted) infection by spp., 672
Dactylella spermatophaga parasitizing spp., 81–85, 94–97, 101
damping off caused by spp., as influenced by planting time, 4
in sugar beets, seed treatment for, 671
soil microorganisms parasitic or antagonistic to, 81, 97, 101
species in Iowa soils, 16
Trinacrum subtile parasitizing spp., 86–89, 101
Pythium butleri, sugar-beet root rot and damping off caused by, 512
de baryanum, alfalfa damping off caused by, 4
pathogenicity to sugar-beet seedlings, factors influencing, 448
graminicolum, barley, etc., parasitized by, 9
irregulare, watermelon damping off caused by, 596
pulchrum, alfalfa damping off caused by, 4
rostratum, alfalfa damping off caused by, 4
splendens, alfalfa damping off caused by, 4
ultimum, alfalfa damping off caused by, 4

QUANJER, H. M., 231
Quercus, fungus diseases of spp., survey, 4
galls and cankers unassociated on, 410
tumors caused by Phomopsis, 401

RACICOT, H. N., and D. B. O. SAVILE, 18
Radish, smut root-galls caused by Urocystis brassicae, 137
Rai, smut root-galls caused by Urocystis brassicae, 137
Ranunculus, Sclerotinia sclerotiorum infection, 672
Tranzschelia pruni-spinosae varieties on spp., 424
Raphanus sativus, smut root-galls caused by Urocystis brassicae, 137

RASMUSSEN, E. J. (D. CATION and), 5
RAY, W. WINFIELD, 919
Red clover (See Trifolum pratense)
Red clover mosaic, clover to clover (crimson) transmission, 869
Red copper oxide, for soil-borne maize diseases, 13
Red Pine (See Pinus resinosa)
Red rot, sugar cane, spore migration in tracheids, 2
REDDICK, DONALD, 300
Reducing agents, effect on viruses, 904
REINKING, OTTO A., 224
Report, American Phytopathological Society, Annual Meeting, 290
Pacific Division, Annual Meeting, 668
Southern Division, Annual Meeting, 662
Resinosis, in forest plantings of red and white pines, 22
Resistance, disease (See also under Breeding; specific hosts, susceptibility, etc.)
alkaloids in relation to, 7
cell-wall thickness in relation to, 1
sugars in relation to, 1
technique for studying comparative, 206
Resistance, bean, breeding for resistance to mosaic, 270
to common mosaic, 270
cotton, to Fusarium wilt, 666
to root rot, mechanism, 667
cantaloupe, to powdery mildew, inheritance, 671
celery varieties, to Erwinia aroideae, 352
to Diplodia zeae, determination method, 497
flax varieties, to wilt, 1
iris, to rust, 68–70
maize, to bacterial wilt, as influenced by mineral nutrition, 213
to Diplodia stalk rot, 497
oats, to Pythium graminicolum, 9
to Phymatotrichum root rot, 7, 667, 592
pigeon pea, to Fusarium coeruleum, 436
potato, to scab, genetic interpretation, 889
breeding for, 878
to viruses, 11
to powdery mildews, as influenced by boron, 22
rice, to Cercospora leaf spot, breeding for, 19
sorghum, to Pythium graminicolum, 9
sugar-beet varieties, to curly top, 669
tobacco, to mosaic, 5, 9, 11
breeding for, 9, 286, 553
correlation with taxonomic relationship, 58
to tobacco mosaic, inheritance, 9, 363, 553
tomato, to curly top, 548
to leaf mold, 1
to Fusarium wilt, 22
Reviews, book, boron in agriculture, 377
forest pathology, 765
microscopic soil fungi, 376
phytopathology, textbook, 289
potash deficiency symptoms, 377
stem rust of wheat, monograph, 155
viruses of plants, 231
Rhizoctonia, fig blight caused by, 663
sugar-beet seedling infection, 449, 452
tobacco strain, pectinase activity, 204
Rhizoctonia oryzae, n. sp., rice sheath spot caused by, 238
solani, damping off of sugar beets caused by seed treatment for, 671
effect on Fusarium lini infection, 21
rice sheath spot caused by, 239–242
sugar-beet decay by strains from potato sprouts, 152
zeae, rice sheath spot caused by, 241, 242
Rhizomorphs, on roots of cereals, 79
on roots of woody plants, 5
Rhizopods, antagonism to root-rotting Oomycetes, 97, 101
Rhododendron, potential host of Ovulinia azaleae, 21
Rhodosticta, in oak cankers, 4
Ribes petiolare, Cronartium ribicola aeciospore and urediospore leaf infection, age of susceptibility, 709
Rice, Cercospora leaf spot, breeding for resistance to, 19
sheath spot caused by Rhizoctonia spp., 233
RIKER, A. J., and R. NAGY, 18
——. (S. B. LOCKE, ——, and B. M. DUGGAR), 15
——, J. VAN LANEN, and I. L. BALDWIN, 19
Ring-spot disease, sugar cane, 663
Ring-spot virus, potato, as influenced by chemicals, 903, 906, 907
Rocket larkspur (See Delphinium ajacis)
Root disease, in Allium spp., Urocystis cepulae causing, 7
strawberry, by Fusarium, susceptibility factors, 1
white-, Fomes lignosus causing, hosts, 8
Root galls, on Toria, Urocystis brassicae causing, 137
Root injury, by Heterodera marioni, as influenced by nematode-trapping fungi, 14–15.
Root knot, on cotton, factors influencing and control, 664
injury to varieties and species, 664
Root-knot nematodes (See also Nematodes; and specific names)
Root necrosis, Pythium graminicolum causing, 9
Root rots (See also Phymatotrichum; and other parasites and specific hosts)
apple black-, soil infection and susceptibility tests, 483
citrus, Fusarium spp. associated, 673
conifer, buckwheat in relation to Fusarium (?)-induced, 7
cotton, control, 667
histopathology, 195
mechanism of immunity from, 667
seasonal incidence in Texas (1937), 668
fungi causing, effect on Fusarium lini infection, 21

Oomycetes causing, putrefactive bacteria weakening, 98, 101
pythiaceous fungi parasitizing, 81
pea, Fusarium coeruleum causing, 432
pecan Phymatotrichum, early diagnosis and control, 673, 674
Phymatotrichum, control, 667
as influenced by: alkaloids from resistant plants, 7
heavy metals and minor elements, 667
mechanism of immunity from, 667
pine, Armillaria mellea causing, 5
Sphaeropsis ellisii causing, 227
sugar-beet, Aphanomyces cochlioides causing, 4
Pythium butleri causing, 512
tobacco brown-, etiology and pathology, 11
Roots, gill fungi associated with, in cereals, 78
mosaic virus-1 of tobacco propagated by cuttings of, 229
tobacco propagation by cuttings of, 229
of woody plants, rhizomorphs on, 5
Rose, anthracnose, additional United States records, 360
control by sulphur dust, 362
powdery mildew, as influenced by temperature and humidity, 15–16
ROSEN, H. R., and L. M. WEETMAN, 898
Rosette, peach, contact periods in graft transmission, 491
Rosin, -lime sulphur, as fungicide, 22
Rotation, crop, for Cercospora beticola control, 342, 349
Rots (See also Decays; Root rots; etc.)
almond and apricot brown-, control, 759
of asparagus spears, Phytophthora sp. causing, 754
boxwood blue-, Verticillium causing, 8
cucurbit Fusarium foot-, 19
dahlia soft-, Erwinia cytolytica inducing, 427, 431
deciduous-fruit brown-, Sclerotinia spp. and distribution in California, 670
Delphinium bud and stem, Erwinia phytophthora causing, 281
garden stock stem soft-, seed-borne bacterial, 12
Juglans nigra seedling soft-, Phytophthora cactorum associated, 359
maize Diplodia stalk-, determination of relative resistance to, 497
pine collar and root, Sphaeropsis ellisii causing, 227
potato bacterial, 18
pumpkin fruit soft-, Erwinia aroideae causing, 350
sugar-beet, Rhizoctonia solani causing, 152
sugar cane red-, spore migration in tracheids, 2
sweet potato soil-, 18
tobacco brown root-, etiology and pathology, 11
tomato stem-, greenhouse control of Botrytis and Sclerotinia induced, 224
Rubus, Septoria darrowii on, 523
"Ruffle leaf" malformations, in tobacco, 14
Rusts, Coleosporium crowellii on Pinus spp., 522
effect on dry weight of host tissues, 723
of Eugenia spp., 157
forest-tree, inoculations and technique, 210
Gymnosporangium spp. in Maine, 20
iris, physiologic races, 67
resistant varieties, 70
oat crown-, epidemic in relation to hybrids of Bond and Victoria, 898
new race attacking Bond var., 16
pimento-tree, 157
on Prunus spp., 411
on Ribes petiolare leaves, age of susceptibility to infection by aeciospores and urediospores, 709
snapdragon, fungicidal control, 22
of stone fruits, 411
wheat stem-, epidemiology in three contrasting years, 20
incidence in relation to upper-air-mass movements and barberry infection, 10
race 56 origin, increase and importance, 20
review of monograph on, 155
white pine blister-, infection routes, 180
"Woodgate"- development and effects on Scotch pine, 24
inoculations and technique, 210
Rye, gill-fungi associated with roots of, 78
Naucoria cerealis weakly parasitizing, 852
Puccinia graminis hybrids attacking, 6
Pythium graminicolum infecting, 9
RYKER, T. C., 19
——, and F. S. GOOCH, 233
Salts, of heavy metals, effect on viruses, 904
Sandalwood, spike disease, transmission and control, 715
Sanitation, soil, by microorganic antagonisms, 81, 98, 101
Sap flow, effect on Dutch elm disease development, 3
Sattler, Fritz, biographical note, 305, 447
——, portrait, facing p. 447
SAVILE, D. B. O. (H. N. RACICOT and), 18
Scab, apple, Bordeaux substitutes for, 247
liquid lime-sulphur spray tests for, 823
cereal, seed treatment by Gibberella culture filtrate, 6
Elsinoë-induced, on lemon fruits, 73
potato, resistance, genetic interpretation, 889
inheritance in crosses and selfed lines, 878
varieties resistant to, 878
Scale insects, citrus yellow and red differentiated serologically, 669
Scaly bark, citrus, psorosis and, 669
SCHAAL, L. A. (C. F. CLARK, F. J. STEVENSON and), 878

Schinus terebinthefolius, Verticillium infection, 672
Schizophyllum commune, wood decay in apple associated with, 7
Schizoxylon microsporum, n. sp., maple canker caused by 733, 743
SCHNEIDERHAN, F. J. (F. D. FROMME and), 483
Selerospora graminicola, host-parasite relations on Setaria spp., 846
Selerotia, ergot, association with wheat bunt, 145
Selerotinia, tomato stem rot caused by, control in greenhouse, 224
Sclerotinia fructicola, distribution in California, 670
laxa, control of blossom infection, 759
distribution in California, 670
sporodochia, as influenced by arsenite sprays, 759
sclerotiorum, on ornamentals in California, 672
pectinase activity, 204
soil sterilization for, 672
trifoliorum, pectinase activity, 204
Sclerotium bataticola, pectinase activity, 204
rolfsii, sugar-beet infection, control methods, 13–14
susceptibility of crop plants and weeds to, 594
Scotch pine (See Pinus sylvestris)
Scrophularia leporella, "Woodgate rust" inoculations negative in, 211
Scrophulariaceae, Phoma antirrhini on members of, 8
"Woodgate rust" inoculations in spp. of, 211
Seed, cotton, germination, 663
gravity method for reducing diseases borne by, 745
importation, danger of disease introduction in, 939
Macrophoma phaseoli transmitted by, 620
strawberry, Mycosphaerella disease, 6
Seed treatment, cereal, by Gibberella culture filtrate, 6
cotton, 664, 665
crown-injured maize, 13
maize, as influenced by storage, 13
for soil-borne diseases, 13
sugar beet damping off, 671
Segregation, for pathogenicity, in Venturia inaequalis, 12
Senility, effect on chlorophyllase activity in tobacco, 340
Septoria brevispora, on Rubus, **Septoria darrowii,** n. nom. for, 523
darrowii, n. nom., for Septoria brevispora on Rubus, 523
Serology, Aonidiella spp. differentiated by, 669
scale insect spp. differentiated by, 669
SERR, E. F. (E. E. WILSON and), 759
Sex, in fungi, 12
Sheath spot, rice, Rhizoctonia spp. causing, 233, 238
SIEGLER, E. A., 859
Silicon, effect on Phymatotrichum growth, 667
SIMPSON, D. M., and G. M. STONE, 633
SINGH, B. N., and P. B. MATHUR, 705
Single-cell culture technique, 16, 387, 397
SMITH, A. L., 664, 665, 666
——, P. E. HOPPE, and J. R. HOLBERT, 497
SMITH, CLAYTON O., 153, 672, 760
——. (L. C. COCHRAN and), 278
SMITH, FLOYD F. (F. WEISS and), 21
SMITH, H. H. (E. E. CLAYTON, —— and H. H. FOSTER), 5, 286
SMITH, KENNETH M., 231
SMITH, M. A. (M. C. GOLDSWORTHY), 574, 938
SMITH, R. E. (P. A. ARK, G. M. TOMPKINS and), 281
SMUCKER, S. L., 19
Smuts, barley covered-, as influenced by post-emergence environment, 370
covered, in latent buds of sorghum, 6
gladiolus, chlamydospore production, 598
Johnson grass loose kernel, 151
oat loose, race infecting Black Mesdag oats, 660
onion, root infection of Allium spp. by, 7
root-gall, on Brassica and Raphanus spp., 134, 137
on Toria, 137
Urocystis, cytology and life history, 8
wheat loose, suppression of bunt by, 144
Snapdragon, Phoma antirrhini on, symptoms and control, 8
Phytophthora cactorum from, non-pathogenicity for apple, 2
rust, fungicidal control, 22
SNYDER, WILLIAM C., 19
Sodium arsenite, in control of brown rot of almond and apricot, 759
Sodium citrate, effect on curly-top virus release from plant juices, 561, 670
Soft rot, Erwinia aroideae causing, 350
garden stock stem, seed-borne bacterial, 12
of Juglans nigra seedlings, Phytophthora cactorum associated, 359
Soil rot, sweet potato, 18
Soils, Ceratostomella viability in, 763
Cercospora beticola viability in, 342
fungi of, book review, 376
hydrogen-ion concentration, crown gall in relation to, 859
maize diseases carried by, seed treatment for, 13
microorganisms, effect on root-rotting Oomycetes, 81, 97, 101
Phoma lingam viability in, determination method, 762
Phycomycetes in, Iowa, 15–16
Phymatotrichum omnivorum in, control, 673, 674
Phytophthora cactorum from, apple infection by, 2
sanitation, by biological antagonisms, 81, 97, 101

by pythiaceous parasites of root-rotting Oomycetes, 101
sclerotia in, sterilization methods, 672
Solanum melongena, yellow dwarf of potato on, 864
Sore shin, cotton, seed treatment for, 665
Sorghum, covered smut in latent buds, 6
Pythium graminicolum-resistant, 9
Sorghum halepense, loose kernel smut of, 151
Soybean, Fomes lignosus infection, 8
Spearmint, anthracnose caused by Sphaceloma menthae, 2, 104, 106, 108
SPENCER, ERNEST L., 147
——, and G. L. MCNEW, 213
Sphaceloma, South American diseases caused by, 3
Sphaceloma menthae spp. and vars., Anthracnose of Mentha caused by, 2, 103, 106
cultural, temperature and pH relations
dissemination and overwintering, 111, 112
rosarum, additional United States records, 360
prevention of infection by sulphur dust, 362
symphoricarpi, new records, 374
Sphacelothea cruenta, loose kernel smut of Johnson grass caused by fungus resembling, 151
holci, loose kernel smut of Johnson grass caused by fungus resembling, 151
sorghi, crosses of biotypes, 656
in latent buds of sorghum, 6
physiologic races, production of new, 656
Sphaeropsis, in oak cankers, 4
Sphaeropsis ellisii, pine root and collar rot caused by, 227
Sphaerotheca, on roses, as influenced by temperature and humidity, 15
SPIEGELBERG, C. H., 673
Spike disease, sandalwood, transmission and control, 715
Spinach, cabbage mosaic infecting, 13
wilt and stunt, Fusarium-induced, 5
Spores, Ceratostomella ulmi, distribution in relation to infection, 3
Colletotrichum falcatum, migration in sugar-cane tracheids, 2
Ustilago zeae, spine development on, stain technic, 860
Sporophores, Fomes, factors influencing formation in culture, 356
SPRAGUE, RODERICK, 78
Spray injury, cherry, factors in, 20
copper and other factors in Bordeaux-, 20
lime *vs.* copper in Bordeaux as causing, 9
lime-sulphur, to apple, reduction in, 823, 832
sulphur, mechanism in apple leaves, 10
Sprays, copper, Bordeaux substitutes for apple diseases, 247
Spruce, Norway (See Picea excelsa)
white (See Picea canadensis)
Squash, curly-top infection, varietal reactions, 649
Fusarium foot rot, 19
soft rot of fruits caused by Erwinia aroideae, 350
Staghead, oak, fungi in relation to, 4
Stain technique, for spores of Ustilago, 860
STAKMAN, E. C., and R. C. CASSEL, 20
——, W. T. BUTLER, R. U. COTTER, and J. J. CHRISTENSEN, 20
Stalk rot, maize Diplodia, determination of relative resistance to, 497
STEINMETZ, F. H., and A. E. PRINCE, 20
Stem cankers, Phoma antirrhini causing on various hosts, 8
Stem rots, dahlia, Erwinia cytolytica causing, 427, 431
Delphinium, Erwinia phytophthora causing, 281
tomato, greenhouse control of Botrytis and Sclerotinia induced, 224
Stem spot, of sweetclovers, Ascochyta spp. causing, 661
STEVENSON, F. J. (C. F. CLARK, ——, and L. A. SCHAAL), 878
Stimulation, of cells, by Phytomonas tumefaciens *vs.* chemicals, 18
Stinking smut (See Bunt)
Stock, flowering, blight caused by Phytomonas syringae, 935
garden, seed-borne bacterial stem rot of, 12
Stomata, virus infections in relation to, 114, 121
white pine, arrangement, structure, movements and relation to blister rust, 182, 185, 187
STONE, G. M. (D. M. SIMPSON and), 663
Stone fruits, brown rot of, Sclerotinia spp. and distribution in California, 670
rust of, 411
Storage, of seed corn treated by mercurials, 13
Strawberry, black-seed disease caused by mercurials, 13
Strawberry, black-seed disease caused by Mycosphaerella fragariae, 6
bud-and-leaf nematode, varietal susceptibility to culture-reared, 587
leaf spot caused by Mycosphaerella, mechanism of Bordeaux action on, 307
root injury by Fusarium orthoceras var. longius, susceptibility factors, 1
summer dwarf, by culture-reared nematodes, 587
STREETS, R. B., 673
——, and L. BRINKERHOFF, 673, 674
"Stunt" disease, of spinach, Fusarium-induced, 5
Stunting, Pythium graminicolum causing, 9
Sucrase, Polyporus abietinus producing, 842
Sugar beet, cabbage mosaic infecting, 13
Cercospora beticola infection from soil, 346

curly top, morbid anatomy of psyllid yellows and, 669
resistant varieties, 669
virus movement, 668
virus in root tips, 671
sodium citrate effect on virus release from plant juices, 561, 670
virus strains and differential hosts, 670
damping off, Pythium butleri causing, 512
seed treatment, 671
decay caused by Rhizoctonia solani strains from potato sprouts, 152
Mosaic, virus movement, 668
Phoma betae infection, 448, 452
Pythium de baryanum pathogenicity to seedlings, factors influencing, 448
Rhizoctonia infection, 449, 452
root rot, Aphanomyces cochlioides causing, 4
Pythium butleri causing, 512
Sclerotium rolfsii infection, control methods, 13–14
Sugar cane, chlorotic streak in United States, 855
Colletotrichum falcatum spore migration in tracheids of, 2
eye-spot disease, 663
Sugars, disease resistance in relation to, 1
SUIT, R. F., and J. G. HORSFALL, 20
——. (J. G. HORSFALL and), 9
Sulphur, in Phymatotrichum control, 673, 674
fungicides, effect on photosynthesis in apple leaves, 10
injury to apple leaves, mechanism, 10
Sulphuric acid, in Phymatotrichum control, 673, 674
Summer dwarf, of strawberry, varietal susceptibility to culture-reared nematodes, 587
Sunflower, powdery mildew, as influenced by boron nutrition, 22
rust, effect on dry weight of tissues, 723
Susceptibility (See also under Resistance)
conifers, to crown gall, 153, 672
Delphinium, to Erwinia phytophthora, 282
maize, to bacterial wilt, as influenced by mineral nutrition, 213
strawberry roots, to Fusarium, factors in, 1
tobacco, to mosaic, correlation with taxonomic relationship, 58
seasonal variations, 147
Sweetclovers, Ascochyta caulicola as seed-borne disease of, 661
white, mosaic virus of, differentiation, 17
Sweet pea, as pea virus-1 host, 931
Sweet potato, soil rot, 18
SWINGLE, ROGER U., 757
Swiss chard, cabbage mosaic infecting, 13
Symphoricarpus, anthracnose of, new records, 374

Take-all, lesions on wheat, interrelations on crowns, culms and roots, 191
Tanninase, Polyporus abietinus producing, 842
Taphrina cerasi, auxones formed by, 15
deformans, auxones formed by, 15
robinsoniana, on alder, control by lime-sulphur dormant spray, 920
overwintering, 919
TAPKE, V. F., 370
Tardigrades, predaceous on nematodes, 14
Tarnished plant bug, potato wilt induced by, 13
TAUBENHAUS, JACOB JOSEPH, 305
——. (W. N. EZEKIEL and), 667
——. (P. A. YOUNG and), 22
——, biographical sketch and bibliography, 525
——, portrait, facing p. 525
Taxonomic relationship, susceptibility to tobacco mosaic correlated, 58
Taxus baccata, crown gall on, 153
TAYLOR, C. F. (V. L. FRAMPTON and), 7
Technical terms, proposed list of international, 600
Technique (See also Cultures, and Culture media)
bacterial cell distribution in poured plates, 16
culture, for sporophore formation in Fomes, 356
inoculation, for Fusarium vasinfectum, 666
with paired sporidial lines in Tilletia, 518
for resistance selection, 19
for rusts of forest trees, 210
sand-nutrient infection, for Fusarium cotton wilt study, 206
isolation, single-cell, bacterial, 387
by dilution-plate method, 16
viruses, 902
stain, for Ustilago spores, 860
sterilization, for soil sclerotia, 672
for stomatal structure and movements, 180
virus purification, 23
Terminalia catappa, bacteriosis, 673
Terms, technical, proposed list of international, 600
TERVET, IAN W., 21
Thalictrum, Tranzschelia pruni-spinosae varieties on spp., 424
THARP, W. H., 206
——. (E. M. CRALLEY and), 667
Thelephora, wood decay in apple associated with spp. of, 7
Thermal death point, of tobacco mosaic viruses, 129
Thiamin, fungus growth in relation to, 531
Thiazoles, fungus growth in relation to, 531, 542
Thielavia basicola, effect on Fusarium lini infection, 21
Thielaviopsis basicola, pectinase activity, 204
physiologic specialization, on tobacco, 1
Thlaspi arvense, as overwintering host of cabbage mosaic, 13
THOM, CHARLES, 376
THORNBERRY, H. H., 202

——, W. D. VALLEAU, and E. M. JOHNSON, 129
Thread blight, of fig, 663
Thuja, Coryneum cardinale susceptibility of spp., 760
crown gall on spp., 672
Thujopsis dolabrata, crown gall on, 672
THURSTON, H. W., JR., and H. J. MILLER, 823
Tilletia, inoculation with paired sporidial lines, method, 518
Tilletia levis, pathogenically distinct race from cross with T. tritici, 371
tritici, association with sclerotia of ergot, 145
pathogenically distinct race from cross with T. levis, 371
suppression by Urocystis tritici, 144
Timothy, Pythium graminicolum infecting, 9
TIMS, E. C., and P. J. MILLS, 663
TISDALE, H. B. and J. B. DICK, 667
——. (J. B. DICK and), 666
Tobacco (See also Nicotiana)
bacteria from, pectinase activity, 204
breeding, for mosaic resistance, 553
brown root rot, etiology and pathology, 11
chlorophyllase in leaves as influenced by mosaic viruses *vs.* malnutrition or senility, 329, 338
curly top in, acquired tolerance, 674
extract of cured, pectinase activity, 204
Fusarium strains from, pectinase activity, 204
mosaic, Katahdin potato resistance to, 11
local infections in relation to epidermal cells, 114
necrotic response to, breeding for, 553
dominant gene for, 9
resistance, inheritance, 9, 553
selection and breeding for, 9, 286
strains compared for, 5
seasonal variations in susceptibility and incubation period, 147
symptoms on various plants compared, 330
virus, derivatives of Jensen's J–14 strain, 675
purification, 23
strains yellow, green and burning, thermal inactivation, 129
susceptibility *vs.* taxonomic relationship, 58
virus-1, infection types and resistance inheritance in Browallia, 363
as influenced by: chemicals, 903, 906, 913
: flue-curing, 18
transmission by root cuttings, 229
plastid pigments, as influenced by mosaic viruses, 329, 335
propagation by root cuttings, 229
ring-spot virus, as influenced by chemicals, 903, 906, 913
"ruffle leaf" malformations, 14
streak virus, as influenced by chemicals, 903, 906, 907
Thielaviopsis basicola specialization on, 1
Turkish variety, mosaic infection, seasonal variations in susceptibility and incubation period, 147
Tomato, bacterial potato wilt and rot infecting, 18
Botrytis stem rot in greenhouse, control, 224
curly top in, acquired tolerance to, 548
virus in juices, sodium citrate effect on release, 670
Erwinia aroideae infecting, 354
Fusarium lycopersici infection, weighted percentages of resistance of varieties to, 22
hybridized with Lycopersicum pimpinellifolium, 1
leaf mold-resistant variety developed, 1
Phytomonas stewartii inoculated to, 22
Sclerotinia stem rot in greenhouse, control, 224
spray injury, factors in, 20
TOMKINS, C. M. (P. A. ARK and), 350
——. (P. A. ARK, ——, and R. E. SMITH, 281
——. (J. T. MIDDLETON, C. M. TUCKER and), 672
Top wilt, of forest nursery seedlings, Phytophthora cactorum associated, 359
Toria, root-galls due to Urocystis brassicae on, 137
Tracheids, spore migration in sugar cane, 2
Trametes, wood decay in apple associated with spp., 7
Tranzschelia pruni-spinosae, n. comb., on wild Prunus spp., 423
synonyms, 423
discolor, n. comb., on cultivated Prunus spp., 424
Tree, Brazilian pepper-, Verticillium infection, 672
pimento, rust due to Puccinia psidii on, 157
Trees (See also Forest; and specific names)
diseases of, book review, 765
forest, rusts of, inoculations and technique, 210
seedling diseases associated with Phytophthora cactorum in, 358
Trichoderma spp., association with rice sheath spot, 233, 245
Trichomes, virus infections in relation to, 114, 116, 118
Trifolium hybridum, virus-1 of, varietal reactions of peas to, 505
incarnatum, pea-virus-1 host, 931
pea-virus-2, transmission in, 869
red-clover mosaic, transmission in, 869
yellow dwarf of potato on, 864
pratense, vein mosaic of, differentiation, 17
repens, mosaic virus of, differentiation, 17
Trinacrum subtile, occurrence, morphology, cultural characters, and parasitism on Oomycetes, 86–89
Tritoma sp., nematode infestation, 672
TRUE, R. P., 24

Trypsin, Polyporus abietinus producing, 842
Tuber rots, dahlia, Erwinia cytolytica causing, 427, 431
TUCKER, C. M. (J. T. MIDDLETON, ——, and C. M. TOMPKINS), 672
Tulip, mosaic ("breaking"), vectors, 123
Tulip poplar, Phytophthora cactorum causing damping off of seedlings, 359
Tumors, plant (See also Crown gall; Galls)
Tumors, Phomopsis-induced, of oaks, hickories, etc., 401
Turkish tobacco, mosaic, seasonal variations in susceptibility and incubation period, 147
Turnip, smut root galls caused by Urocystis brassicae on, 137
TURRENTINE, J. W. (O. ECKSTEIN, A. BRUNO, ——, G. A. COWIE, and G. N. HOFFER), 377
Tympanis sp., precocious bud growth and abnormal forking in red pine associated, 803

ULLSTRUP, A. J., 787
Ulmus (See also Elm)
Ulmus americana, Dutch elm disease on, factors influencing, 2
Urease, Polyporus abietinus producing, 842
Urocystis brassicae, n. sp., root galls on Raphanus, Brassica, etc., caused by, 137, 140
  cepulae, root infection of Allium spp. by, 7
  gladioli, chlamydospore production on artificial media, 598
  tritici, antagonism to Tilletia tritici, 144
  waldsteiniae, cytology and life history, 8
Uromyces phaseoli, effect on dry weight of host tissues, 723
Ustilago avenae, race infecting Black Mesdag oats, 660
  crameri, chlamydospore formation on artificial media, 861
  hordei, infection by, factors influencing, 370
    as influenced by post-emergence environment of barley, 370
  zeae, auxones formed by, 15
    growth types, as influenced by genetic *vs.* environal factors, 12
    lysis in crosses of, 5
    spores, spine development on, stain technique for, 860
Ustulina, in oak cankers, 4

Vaccinium, galls induced by Phomopsis on spp. of, 71–73
  potential host of Ovulinia azaleae, 21
VAHEEDUDDIN, SYED, 656
VALLEAU, W. D. (H. H. THORNBERRY, ——, and E. M. JOHNSON), 129
VAN LANEN, J. (A. J. RIKER, ——, and I. L. BALDWIN), 19
VARADARAJA IYENGAR, A. V., 715
Variegation, heritable leaf, in hybrid bean, 520
Vascular parasites, Fusarium avenaceum, in potato, 16
VAUGHAN, EDWARD K., 660
Veinbanding virus, Katahdin potato resistance to, 11
Venturia inaequalis, Bordeaux substitutes against, 255
  heterothallism and segregation for pathogenicity in, 12
VERRALL, A. F., 763
Verticillium, Schinus terebinthefolius infected by, 672
Viburnum, tumors caused by Phomopsis, 406
Vicia faba, Crotalaria mosaic transferred to, 10
  Erwinia aroideae infecting, 354
  pea-virus-1 host, 931
  yellow dwarf of potato on, 864
VINSON, CARL G., 22
Virescence, "genetic" *vs.* "induced," 813
  of maize seedlings, Aspergillus spp. causing, 811
Virulence (See also Attenuation)
  bacterial, as influenced by media, 778
  growth substances in relation to, 15
  as influenced by nitrogen form, in Phytomonas stewarti, 16
  mechanism, in bacterial pathogen, 769
Viruses (For specific data see under hosts and diseases)
  alsike, virus-1, 505
  apple, mosaic (?), 937
  bean, common mosaic, selections resistant to, 270
    heritable variegation resembling infection by, 520
  cabbage, mosaic, 13
  Capsicum infections by, 114
  celery, virus-1, 22
  citrus, psorosis and scaly bark, 669, 670
  Crotalaria, mosaic, 10
  cucumber, mosaic, 22, 903, 906, 907
  curly-top, 548, 561, 649, 668, 669, 670, 671, 674
  elm, phloem necrosis, 757
  geranium, crinkle, 11
  legume, mosaics, differentiation, 17
  pea, mosaic virus-1, 17, 749, 923
    mosaic virus-2, 17, 869
  peach, asteroid leaf spot, 278
    little-peach disease, 491
    mosaic, 491, 890
    rosette, 491
    yellows, 491
  plum, mosaic, 890
  potato, veinbanding, 11
    yellow dwarf, 3, 21, 375, 863
  prune, mosaic, 891
  Prunus, mosaics, 890
  red-clover, mosaic, 17, 869
  of stone fruits, mosaics, 491, 890
  sugar-beet, curly top (See Viruses, curly top; and under Sugar beets)
    mosaic, 668
  sugar-cane, chlorotic streak, 855
  tobacco, mosaic, 5, 9, 11, 18, 23, 58, 114, 129, 147, 229, 286, 329, 363, 553, 675
    veinbanding, 11

tulip, mosaic, 123
white clover, 17
white sweet clover, 17
Viruses, general and miscellaneous, chemical differentiation, 902–918
effect on plastid pigments, 329
inactivation by chemicals, 904
isolation from mixtures, 902
local infections in relation to leaf epidermal cells, 114
nomenclature of plant, 230
purification, 23
release from plant juices, 561, 670
textbook of plant, review, 231
tolerance to chemicals, 904
Vitamins, B_1, Phytomonas tumefaciens forming, 18
in fungus nutrition, 14
VOORHEES, R. K., 438, 663

WADE, B. L., and W. J. ZAUMEYER, 505
WAITE, M. B. (A. G. JOHNSON and), 296
WALKER, J. C., and R. H. LARSON, 21
——. (R. H. LARSON and), 13
——. (O. C. WHIPPLE and), 22
WALLACE, J. M., 674
——. (J. W. LESLEY and), 548
WANG, C. S., 861
Water injury, to citrus fruits, nature, 671
Watermelon, damping off, Pythium irregulare causing, 596
seedling infection by Fusarium bulbigenum var. niveum, 596
WATKINS, G. M., 195
WATKINS, T. C. (E. O. MADER and), 375
WEETMAN, L. M. (H. R. ROSEN and), 898
WEISS, FREEMAN, and F. F. SMITH, 21
WELLHAUSEN, E. J., 21, 475
WERNHAM, C. C., 598
Wheat, bunt, association with ergot sclerotia, 145
inoculation with paired sporidial lines, method, 518
pathogenically distinct race derived from interspecific hybrid, 371
suppression by loose smut, 144
gill fungi associated with roots, 78
Naucoria cerealis weakly parasitizing, 852
Puccinia graminis hybrids attacking, 6
Pythium graminicolum attacking, 9
stem rust, epidemiology in three contrasting years, 20
incidence in relation to upper-air-mass movements and barberry infection, 10
race 56 origin, increase and importance, 20
review of monograph on, 155
take-all lesions, interrelations on crowns, culms, and roots, 191
WHETZEL, H. H., 296
WHIPPLE, O. C., and J. C. WALKER, 22
WHITAKER, T. W. (I. C. JAGGER, ——, and D. R. PORTER), 671
White clover (See Trifolium repens)
White pine (See Pinus strobus)
blister rust (See Cronartium ribicola)
White-root disease, Fomes lignosus causing, hosts, 8
White spruce (See Picea canadensis)
WILCOX, HAZEL W. (G. K. K. LINK, ——, and V. EGGERS), 15
WILCOX, MARGUERITE S. (J. B. DEMAREE and), 6
WILSON, E. E., and E. F. SERR, 759
Wilt, cotton Fusarium, as influenced by fertilizers, 666
inoculation technique, 666
leaf reactions to hypodermic injections, 665
long-staple variety resistant to, 666
sand-nutrient infection technique for study, 206
soil-inoculation technique, 666
varietal reactions to, 666, 667
flax, inheritance of resistance, 1
of forest seedling tops, Phytophthora cactorum associated with, 359
maize, bacterial (See also Aplanobacter stewarti; Phytomonas stewarti; and under Maize)
as influenced by mineral nutrition, 213
insect vector in Mexico, 444
mechanism of pathogenesis, 769, 781
in Mexico, 443
virulence as influenced by nitrogen nutrition, 769
persimmon, Cephalosporium sp. causing, 3
potato, bacterial, 18
tarnished plant bug causing, 13
spinach Fusarium, 5
tomato Fusarium, weighted percentages of resistance of varieties to, 22
Wind, Peronospora dissemination by, 257
WINSTON, J. R., 283
WINTER, H. F. (H. C. YOUNG and), 23
Winter injury to Buxus sempervirens, 372
Witches' broom in curly-top-infected squash, 655
Wood, decay, fungi associated in apple, 6
Polyporus schweinitzii isolates varying in power for, 7
discolorations, fungi in relation to, 4
fungi destroying, colored zone formation by, 601
"Woodgate rust," development and effects on Scotch pine, 24
inoculations and technique, 210
WOODWORTH, CLYDE M. (B. KOEHLER and), 811
Woody plants, rhizomorphs on, 5
"Woolly knot," pH in relation to, 859
Words, technical, proposed list of international, 600

Xanthophyll, as influenced by tobacco-mosaic viruses, 329, 335
Xylaria mali, soil infection and susceptibility tests with, 483
Xylocopa, azalea flower spot disseminated by, 21

YAP, FRANCIS. (M. B. LINFORD and), 14
YARWOOD, C. E., 22

——, and J. F. L. CHILDS, 723
Yeast, growth factors for fungi in fractionated, 544
Yellow dwarf, potato, clover leaf hopper as vector, 3, 375
control by Bordeaux, 375
as influenced by soil temperatures, 21
new hosts, 864
mechanical transmission, 3, 865
susceptible hosts, 3
transmission by clover leaf hopper, 863
virus, properties, 3, 863, 870
separation from X-virus, 863
Yellow mosaic, tobacco, virus inactivation by dry heat, 129
Yellows, alfalfa leaf hopper, carbohydrate/nitrogen ratio and carotene in, 10, 273
gladiolus, Fusarium causing, 17
peach, contact periods in graft transmission, 491
Yew, European, crown gall on, 153
YORK, HARLAN H., 22, 210
YOUNG, H. C., and H. F. WINTER, 23
YOUNG, P. A., and J. J. TAUBENHAUS, 22
YOUNG, V. H., 377
YOUNGBLOOD, B., 525
YOUNKIN, S. G., 596

ZAUMEYER, W. J., 520
——. (B. L. WADE and), 505
ZELLER, S. M., 523
Zinc, effect on Phymatotrichum growth, 667
arsenite, in control of brown rot of almond and apricot, 759
oxide, for cotton seed treatment, 665
Zinnia, cabbage mosaic infecting, 13